

EDMA
UN OUTIL D'AVANCE



GENERAL CATALOGUE **2022**

French 
MANUFACTURER
since *1937*

Landscaper

Mason

Roofer

Facade
installer











Flooring
installer

Tiler

Painter

Drywaller



	INTRO	4
<hr/>		
	DRYWALLER	12
<hr/>		
	PAINTER	62
<hr/>		
	TILER	72
<hr/>		
	FLOORING INSTALLER	94
<hr/>		
	FACADE INSTALLER	104
<hr/>		
	ROOFER	118
<hr/>		
	MASON	156
<hr/>		
	LANDSCAPER	168
<hr/>		
	INDEX	191

NEW



EDMAPLIC

The new drywall taper with integrated folding corner roller is full of practical and innovative features!

» Page 44



EDMALIGHT

A cordless LED surface inspection light joins the tools' range of drywall and painter's tools. Very powerful thanks to its LED light, it is also very practical: cordless and adaptable on a compatible tripod.

» Pages 56 et 64



EDMABLADE

The brand new smoothing blades EDMABLADE are declined in a wide range of dimensions and blades' types. A handle with swivel head is compatible with these blades enabling to connect them to a telescopic pole.

» Page 52

PROFILCUT® MEGA

The famous guillotine for metal profiles gets a makeover and adopts a brand new design particularly ergonomic and compact.

» Page 18



HAND AND SURFACE CLEANING WIPES

All construction workers need to have wipes on hand! The EDMA hand and surface cleaning wipes in a jar with handle are perfect to take on all construction sites and to clean all types of dirt.

» Page 190



STORAGE RANGE

Having good tools is the characteristic of good construction workers. EDMA helps you to take care of them and to have them always on hand, by proposing different storage solutions: EDMABOX, tool pouches, tool bags...

» Page 14



KNEE PADS

Time and effort saving solutions are always favored in EDMA. That's why, its tools' range has been enriched with different types of knee pads and roller knee supports... because we believe that preserving yourself is also important.

» Pages 74 and 96





A WIDE RANGE OF PROFESSIONAL TOOLS FOR CONSTRUCTION WORKERS, SINCE 1937

EDMA's offer now includes more than 900 hand tools dedicated to drywallers, painters, tilers, flooring installers, facade installers, roofers, masons, landscapers.

The hand tools proposed for each of these professions are designed to specifically match the needs of construction workers at the different stages of implementation of their work sites.

FRENCH MANUFACTURING AND SUSTAINABLE DEVELOPMENT



FRENCH HAND TOOLS

Located on 2 sites in the Paris area and in the South-East, EDMA is willing to manufacture in France a growing number of products and to place its activity in a global approach of control of its production and sustainability of its development.

Sharing common values, EDMA has recently joined the French Fab label which embodies a French industry that is innovative, exporting and open to change.




RESPONSIBLE HAND TOOLS

In the scope of a more responsible commitment, the packagings of many products have been redesigned to reduce significantly the use of plastic in favor of recyclable cardboard.

Many EDMA tools are also designed so that one or several part(s) in their composition, can be replaced. This reparability brings the opportunity to users to give a longer life to their EDMA tools and to contribute to waste reduction.

All EDMA available spare parts are sold online on EDMA website: www.edma.fr.





INNOVATION AND QUALITY

EDMA tools are designed in a permanent search for innovation and quality, in order to be able to bring real «time and effort saving» solutions and to meet the construction workers needs in their daily work. No less than 8 patents in average are registered each year by EDMA R&D.

Thanks also to the close relationship that EDMA cultivates with its users, it gets feedback from experiences which feeds the design of ever more efficient and adequate tools.

Of course, quality is always present, at each stage of EDMA tools' design and manufacturing processes. Various certifications attest this permanent preoccupation.



TOOLS EXPORTED WORLDWIDE

EDMA products are recognized by professionals and users on the 5 continents and are exported towards 70 countries.

All EDMA services, whether administrative, commercial, or logistical are able to respond to various national or international requests.



EDMA IN FIGURES

1937

Pierre Gréhal creates its company
and registers EDMA trademark in 1953



**2 SITES
IN FRANCE**



Baillet en France
and Saint-Raphaël

8 PROFESSIONS

- Drywaller
- Painter
- Tiler
- Flooring installer
- Facade installer
- Roofer
- Mason
- Landscaper



5 continents

70 COUNTRIES



YOUR ORDERS

Your orders are processed in the shortest possible time by a team of multilingual collaborators.

» commercial@edma.fr



YOUR QUESTIONS

Technicians help you to use your EDMA tools as efficiently as possible and answer your different technical and after-sales questions.

» qualite@edma.fr



EDMA BY YOUR SIDE

EDMA VIDEOS

Learn how to assemble and/or use your favourite EDMA products in the EDMASCOPE videos series, available on EDMA's Youtube channel:

» https://bit.ly/EDMASCOPE_YOUTUBE



**EDMA
SCOPE**
The video channel





EDMA WEBSITE

Find out a large amount of information on EDMA's website www.edma.fr: products datasheets, pictures, videos, spare parts' lists linked to a product...

Create your myEDMA account on EDMA's website to benefit from even more content on your products.



«To be at your side» means to bring a maximum of services along your customer experience with EDMA.

Since the purchasing of your EDMA tool to its use, and then the replacement of one wearing part, some EDMA teams are present at each stage to give advice, to bring support and to answer to your questions. In brief: «to be at your side» means to do all our best so that your favourite EDMA tool be and remain, one of your most valuable companions in your daily work.



SPARE PARTS ONLINE SHOP

Give a longer life to your EDMA products by replacing some wearing parts. Find all the available EDMA spare parts and consumables and order them in a few clicks from home.



CLEARANCE ONLINE SHOP

Benefit from bargains with EDMA tools from previous generations (previous colors, logo and packagings, discontinued products...etc) at discounted prices.









Ref.: 743006 **EDMABOX** **NEW**

STACKABLE STORAGE BOX

Compatible with Sortimo and L-BOXX system.

Outer dimensions: 445 x 358 x 118 mm.

Inner dimensions: 378 x 313 x 65 mm.



Ref.: 743032 **NEW**

TOOL TRAY

EDMABOX *compatible.*

Made of resistant polyester (1000 D).

Sturdy plastic base protecting from shocks and dirt.

Convenient, accessible storage, offering better visibility of contents:

- 8 exterior compartments
- 1 flap pocket with self-gripping fastener
- 16 interior loops
- 5 exterior loops
- 1 zippered pocket ideal for storing a hacksaw
- 2 bands with self-gripping fastener to hold a level

Metal carrying handle with foam padding + adjustable shoulder strap = comfort of use.

Thanks to its coupling levers, the tray can be stacked on the EDMABOX (or other L-Boxx) to optimize the transport of tools.

The integrated interfaces on the sides allow the use of ProClick bags and accessories.

Equipped with reflective safety strips.

Max. load: 24 kg.

Dimensions: 480 x 240 x 330 mm.



Ref.: 260055

TOOL POUCH

Made of smooth top-grain cowhide leather.
Adjustable nylon belt.
8 pockets.
2 tool holders.
1 measuring tape pocket.



Ref.: 280155 **NEW**

SINGLE POCKET CONTRACTOR RIG

Nylon fabric.
Reinforced adjustable belt with roller buckle.
8 inserts.
2 tools holders.
1 measuring tape holder.



Ref.: 280055

CONTRACTOR RIG

Nylon fabric.
12 pockets : 2 steel hammer holders, 1 tape holder.
Adjustable belt with roller buckle.



Ref.: 280255 **NEW**

JOINT KNIFE STORAGE POUCH

Nylon fabric.
6 inserts.
With handle.
Zip closure system.



Ref.: 175555 **NEW**

MAGNETIC TAPE MEASURE 5 m x 25 mm

Magnetic double hook for easy measuring.
Nylon-coated tape protected against dust and water.
Double marking : horizontal and vertical reading.
Class II accuracy.
Ergonomic and compact design.
Reinforced and anti-slip case.
Equipped with 2 buttons: braking and locking of the tape.
Belt hook + leash.



Ref.: 175055

TAPE MEASURE 5 m x 25 mm

Antishock rubber box.
Nylon coated tape protected against dust and water.
Class II accuracy.
Equipped with 2 buttons: braking and locking of the tape.
Belt hook + leash.



Ref.: 010755 **FLYER'S**

FORGED AVIATION SNIP

Drop forged chromium molybdenum steel jaws.
Handle spring.
One hand automatic latch release.
Effortless cut.
Blade length : 42 mm.
Finger guard.

CUTTING CAPACITIES

Stainless steel	0,8 mm
Sheet metal, galvanised, zinc	1,2 mm

Ref.: 109055
Left cut



Ref.: 010955
Right cut

APOLLO

FORGED AVIATION SNIP

Articulated tin snip.
Drop forged chromium molybdenum steel jaws.
Blade length : 35 mm.
Finger guard.

CUTTING CAPACITIES

Stainless steel	0,9 mm
Blue sheet steel	1 mm
Galvanised sheet, zinc	1,2 mm
Copper, brass, sheet metal	1,5 mm
PVC, aluminium	2 mm
Polycarbonate	2,5 mm



Ref.: 074555 **PLURICOU'P' ERGO**

MULTI PURPOSE PLIERS WITH ANGLED BLADES

Light and *handy*.

42 mm stainless steel polished serrated blades.
Ergonomic handles and easy-to-close latch.
Angled blades for an optimum comfort while cutting.

Ref.: 161555 **STUD CUTTER**

GUILLOTINE FOR METAL STUDS AND TRACKS

Allows to quickly cut without burr 48 mm studs and tracks, corner beads, ceiling suspension system and F530 studs thanks to its adaptor.

Time-saving.

Noise free.

No sparks, no metal filings.

+ F530 adaptor.



Ref.: 068655
F530 ADAPTOR



Ref.: 061755 **PROFILCUT®**

GUILLOTINE FOR METAL STUDS AND TRACKS

Effortless clean cut without burr.

Time-saving.

Noise free.

No sparks - No risk of fire - No special permit.

No metal filings.

4-die revolver plate for 6 shapes of metal profiles : F530 studs and corresponding tracks, 48 mm studs and tracks, corner beads and ceiling suspension system.

Quick change of dies.

Trestle for optimal positioning of the profile.

Adjustable stop for custom cutting.

Integrated chip ejector prevents the revolver plate from jamming.

Support feet included.

Ref.: 065855

PROFILCUT® MEGA

GUILLOTINE FOR METAL PROFILES UP TO 100 MM WIDE

Fast and *clean* cut without burrs.

Compact ergonomic design.

Time-saving, noise free, no sparks and no steel filings.

Double non-sharp cutting blade to adapt to the width of the profile, from 40 to 100 mm :

- Narrow blade: from 40 to 60 mm + F530 profile.

- Wide blade: from 60 to 100 mm.

Max. height of studs and tracks: 60 mm.

Width of dies easily adjustable to fit the profile.

Also cuts corner angles.

Integrated F530 die.



Ref.: 061655

DUOTOP

GUILLOTINE FOR 48 MM METAL STUDS AND TRACKS, M6 THREADED ROD

Allows to cut 48 mm metal tracks and studs, F530 profile, M6 threaded rod and Ø 4 mm metal wire.

Ideal to install drywall suspended ceilings.

Clean cut = immediate bolting.


No noise.

No sparks - No risk of fire - No special permit.

545 mm adjustable cutting guide can be positioned on the right or left.

Up to 6.6 soft steel : 60 kg/mm².

Cannot cut stainless steel threaded rod.



Ref.: 068655

F530 ADAPTOR



Ref.: 165055

SPARE DIE

Ref.: 065055

MINI RODCUT M6

6 MM (M6) THREADED ROD AND 4 MM SUSPENSION WIRE CUTTER

Clean cut = immediate bolting.

No noise.

Can be used to repair damaged rod.

No metal scrap (no metal filings).

No sparks - No risk of fire - No special permit.

545 mm adjustable cutting guide can be positioned on the right or left.

Up to 6.6 soft steel : 60 kg/mm².

Cannot cut stainless steel threaded rod.



Ref: 165055
SPARE DIE



Ref.: 060755

ALU LINE

ALUMINIUM CHALK LINE REEL 30 m

Built-in filter system to prevent excess chalk.

Rope diameter: 1 mm.

Capacity: 80g.



Ref.: 160555

BRAIDED SPARE ROPE FOR FAST LINE AND ALU LINE - Ø 1 MM



Ref.: 060555

FAST LINE

FAST REWINDING CHALK LINE REEL 30 m

Rewinds 5 times faster.

Built-in filter system to prevent excess chalk.

Rope diameter: 1 mm.

Capacity: 100 g.



Ref.: 060955

MAX LINE

CHALK LINE REEL WITH LARGE HANDLE 50 m

For long distance marking.

Built-in filter system to prevent excess chalk.

Rope diameter: 2,5 mm (braided).

Capacity: 300 g.



Ref.: 260555

BRAIDED SPARE ROPE Ø 2.5 MM FOR MAX LINE



MARKING CHALK

Ref.: 065255

3500 g

Ref.: 063255

400 g

Ref.: 063155

1000 g

Ref.: 063355

200 g

LEVEL WITH XL MAGNETIC SLOTS

Special for *back-to-back* studs.



Aluminium level profile.

900 g/m profile = strong.

76 mm slots to fit all types of studs, even back-to-back or F530 studs.

Put the studs against the left edge of the slot to ensure a precise spacing.

Built-in carrying handle.

2 epoxy locked, solid acrylic vials :

- 1 vertical vial also visible from the front by mirror effect
- 1 horizontal vial

Milled surface.

Shockproof end caps.

Accuracy : 0.5 mm/m.

LEVEL WITH SLOTS

90 CM

120 CM

Ref.

175455

175355

Built-in gauge to install studs quicker and easier

Spacing of 40 and 60 cm

Spacing of 40, 60 and 90 cm*

The spacing of 90 cm is dedicated to 90 cm plasterboards installation, special for collective housing constructions.





Ref.: 060055 **PROFIL**

SECTION SETTING PLIERS FOR STUDS AND TRACKS

Max. capacity : 1 + 1 mm.
Patented punch.
Fastening 60 % stronger.
30 % less effort.



Ref.: 060155
**REPLACEABLE PUNCHING
BLADE**

Ref.: 061055 **PROFIL 2 RM**

SECTION SETTING PLIERS FOR STUDS AND TRACKS

Max. capacity : 0,8 + 0,8 mm.
For right and left setting.
Articulated head which is ideal along the wall.
Patented punch.
Fastening 60 % stronger.
30 % less effort.



Ref.: 061855
**REPLACEABLE PUNCHING
BLADE**




1 HANDED
operation

Ref.: 062055 **MASTER-PROFIL®**

ONE HAND SECTION SETTING PLIERS FOR STUDS AND TRACKS

One handed operation.
Max. capacity : 1 + 1 mm.
Sprung handle.
Patented punch.
Fastening 60 % stronger.
30 % less effort.



Ref.: 062155
**REPLACEABLE PUNCHING
BLADE**



Ref.: 062255
SPARE SPRING
x 5 pcs.

Ref.: 061955 **ERGOTOP®**

SECTION SETTING PLIERS FOR ALL TYPES OF STUDS AND TRACKS

For all types of studs and tracks.

Max. capacity : 1 + 1 mm.
For right and left setting.
Patented punch.
Fastening 60 % stronger.
30 % less effort.



Ref.: 061855
**REPLACEABLE PUNCHING
BLADE**



1 HANDED
operation

Ref.: 066855

ULTRA PROFIL®

ONE HAND SECTION SETTING PLIERS FOR ALL TYPES OF STUDS AND TRACKS, WITHOUT ANY *effort*

For all types of studs and tracks.

One handed operation to crimp studs and tracks without any effort, thanks to its ratchet system (3 notches to move the punch to the metal framing and 1 notch and a half to crimp).

Max capacity : 1 + 1 mm.

Patented punch.

Fastening 60 % stronger.

30 % less effort.



Ref.: 566855



**REPLACEABLE PUNCHING
BLADE**



Ref.: 160455 **DUO PROFIL**

SECTION SETTING PLIERS FOR BACK-TO-BACK STUDS

Specially designed to crimp back-to-back metal studs.
Recommended in case of ceiling above 2,50 m height.
Regular stud-to-track crimping from 90 mm width.
Max. capacity : 1 + 1 mm.



Ref.: 260455
**REPLACEABLE PUNCHING
BLADE**

Ref.: 060355 **TWIN PROFIL®**

SECTION SETTING PLIERS FOR BACK-TO-BACK STUDS

Easy to use and time-saving.

Large opening jaw to crimp back-to-back studs in one shot.

Regular stud-to-track crimping from 90 mm width.
Max. capacity : 1 + 1 mm.



Ref.: 061855
**REPLACEABLE PUNCHING
BLADE**



Ref.: 161455 **POWER PROFIL**

AUTOMATIC SECTION SETTING PLIERS FOR ALL TYPES OF STUDS AND TRACKS, FITS ON DRILLS

No crimping *effort*: let the drill do the job !

To crimp all types of studs and tracks (even F530 studs for ceiling application).

Max. capacity : 1 + 1 mm.

It fits all types of power drills/screwdrivers (from 14,4 Volts).



Ref.: 061855
**REPLACEABLE PUNCHING
BLADE**



Ref.: 162655

STEP DRILL

Use for precision drilling of sheet metal and plastic up to 30 mm

HSS.

Drilling Ø : from 4 to 30 mm in 2 mm increments.

Max. drilling depth : 3 mm.

Stud drilling (even back-to-back type) to insert pipes.



Ref.: 069055 **CANALCUT**

PRECISION INSULATION CUTTER

For all types of insulation materials, such as : E.P.S., polyurethane, rock wool, glass wool, underfloor heating.

Groove stainless steel blade for making 35 mm (width) x 35 mm (depth) channel to insert pipes up to 32 mm diameter max.

2 interchangeable blades :

1/ 35 x 35 mm groove blade.

Thermal bridges are easily avoided while cutting.

2/ 80 cm blade for curved shape removal.

Scoring E.P.S. plasterboard.

Roofing water insulation grading.

To cut insulation material.



Ref.: 069555

**GROOVE BLADE
35 X 35 MM**



Ref.: 068155

**BLADE SET
40, 60, 80, 100 MM**

INSULATION CUTTER

2 different tooth shapes.

Holster included.

Symmetrical bi-material handle.

To cut without any effort rock wool, glass wool, wood wool or hemp insulating panels, flax, cellulose wadding panels, etc...

from 3 to 20 cm thick.



**Available in
2 dimensions:**

Ref.: 066455

300 mm

Ref.: 168055

420 mm





Ref.: 064655 **ROLL PLAC**

MINI TROLLEY FOR BOARD CARRYING

Effortless and autonomous plasterboard carrying.

Allows to carry up to 2 boards by one person.

2 built-in wheels for a fast, effortless movement in a comfortable position.

The wide base allows a better stability and prevents from damaging the plasterboard.

Steel frame = strong.

Bi-material handle for an optimum comfort.

Light and compact tool = very easy to store.



Ref.: 064555 **TRANSPLAC**

HEAVY DUTY BOARD LIFTER

Allows to carry boards and panels by one person.

New wide base for better stability.




Ref.: 064055 **DUOPLAC****BOARD CARRIER HANDLES**


Set of 2 pieces.
Steel handles to carry boards and panels by 2 persons.
Anti-slip grips.

Ref.: 066055 **FOOTPLAC****BOARD LEVER WITH STEEL STIRRUP**

To lift panels for an accurate positioning thanks to its rocker system.
Wide base for better balance.
Also ideal to unhinge doors.
Extra wide loop suitable for most safety footwear.

Ref.: 066555 **BLOCPLAC****BOARD HOLDER****Durable tool and *easy* to use.**

Allows to work alone thanks to the moveable block.
To lift and to hold the board or insulation panel in position while screwing it to the metal framing.
Offset handle.
Beveled edge to avoid damaging the plasterboard.





Ref.: 064755 **VARIO RAP**

PLANE FOR PLASTERBOARDS & WOOD

3 adjustable working positions.
Replaceable rasps.



Ref.: 164755
FLAT RASP



Ref.: 264755
ROUNDED RASP



Ref.: 066755 **EASY RAP**

MINI PLANE FOR PLASTERBOARD

Replaceable rasp.
Ergonomic design.



Ref.: 166755
FLAT RASP



Ref.: 163155

DRYWALL SCORING SQUARE

Fast and clean cut.
Max. 62 cm.
Ideal to score and cut plasterboard.
Compatible with all types of utility knife.
Double measurement units : inch/mm.





Ref.: 160655

DRYWALL UTILITY KNIFE

**With 25 mm
snap-off blades**

3 spare blades included.
Security locking blade action.
Ergonomic and heavy duty
design.



SNAP OFF KNIFE WITH ZINC-ALLOY BODY

**Available in
2 dimensions:**

Ref.: 170355
9 mm

Ref.: 170455
18 mm



Ref.: 170255

FOLDABLE KNIFE

Ergonomic design.
Security locking system.
Quick blade-changing
system.



Ref.: 160755

SNAP-OFF BLADE

25 mm x 10 pcs.



Ref.: 060655

FOLDABLE KNIFE WITH HOLSTER

Foldable knife for trapeze blades and hook blades.
4 blades storage compartment.
Holster included.



Ref.: 170155

DUAL-SYSTEM KNIFE

Cut string integrated.
4 blades in the storage compartment + 1 on the cutter.
Quick blade-changing system.
Soft-touch grip.



Ref.: 170655

SAFETY KNIFE

Safety carton and plastic film opener.
Double blade not replaceable.



Ref.: 170755

**TRAPEZE CUTTER
BLADE DISPENSER**
50 blades.



Ref.: 199255

**TRAPEZE BLADE
FOR CUTTER**
x 10 pcs.

Replacement blades for references 170255, 060655 and 170155.



Ref.: 174255

PLASTERBOARD SAW**550 mm**

Blade thickness : 0.85 mm.

Non-stick coating.

8 teeth per inch.

Triple bevel teeth.

**CROCOPLAC II****JAB SAW WITH TEETH ON BOTH SIDES**

To cut plasterboard, cellular concrete, wooden panels, etc...

Triple bezel blade and teeth on both sides for multidirectional cutting.

8 teeth per inch.

Trident head to make the pre-holes or metal anchor installation.

Light and easy to handle.

Ergonomic bi-material handle.

Holster included**Available in 2 dimensions:**

Ref.: 067055

150 mm

Ref.: 067255

250 mm

Ref.: 062955

PLAC & ROLL**DRYWALL STRIPPER**

Fast and simultaneous cutting on both sides of the plasterboard.

Adjustable cutting depth up to 150 mm.

Adjustable wheels for a cutting thickness up to 18 mm.

2 ergonomic bi-material handles for straight and guided cuts.

Ref.: 506292
SPARE WHEEL
x 2 pcs.



Ref.: 069255 **RAP-PLAC VERSATILE**

CHAMFERING PLANE FOR PLASTERBOARD

Zinc plated steel body = *durable tool.*

Chamfering angle : from 22 to 45°.



Ref.: 199255
**TRAPEZE BLADE
FOR CUTTER**
x 10 pcs.



Ref.: 173055

ADJUSTABLE ANGLE SQUARE

Can be folded to 0° in order to save space.

7 mm thickness aluminium = light and durable.





QUICK SUPPORT

Safety lock.



Ref.: 066355

75-125 cm


To block equipments during transport.

Extendable from 0.75 m to 1.25 m.

90° max. support : 60 kg.

65° max. support : 20 kg.

Articulated top and bottom pads.



Ref.: 068855

101-177 cm

To block equipments during transport.

Extendable from 1.01 m to 1.77 m.

90° max. support : 60 kg.

65° max. support : 20 kg.

Articulated top and bottom pads.



Ref.: 066155

160-290 cm

To hold plasterboard to the top.

Extendable from 1.60 m to 2.90 m.

90° max. support : 50 kg.

65° max. support : 20 kg.

Articulated top and bottom pads (20 x 6 cm).

Ref.: 067855

210-390 cm

To hold plasterboard to the top.

Extendable from 2.10 m to 3.90 m.

90° max. support : 40 kg.

65° max. support : 13 kg.

Articulated top and bottom pads (20 x 6 cm).





MAX.
LOAD.:
60 KG

MAX.
HEIGHT:
3,50 M

CE

Ref.: 268655 **EDMAPLAC CABLE** **NEW**

WINCH PANEL LIFTER

360° free *rotating* head.

Lifts the plasterboard in horizontal and angled position.

Double cable for lifting and raising = safety.

Ball bearing pulleys for less effort.

Winch with bi-material handle.

Ergonomic tilting handle for easy loading of the plasterboard.

Smaller size, lighter, less bulky.

Easy door passage thanks to its folding side feet.

Equipped with 3 wheels, 2 with brake and

2 stabilization/transport wheels.

Delivered assembled except for the head.

CE certification.

Complies with European directive «MACHINERY» - 2006/42/CE.

Approved by the VERITAS conformity report #10673478-1.

SPECIFICATIONS

Max. load.	60 kg
Max. board dimensions	1,20 x 3,60 m
Min. board dimensions	0,15 x 0,60 m
Max. height	3,50 m
Min. height	1,60 m
Board loading height	80 cm
Dimensions in moving/storage position (length x width x depth)	131 x 85 x 25 cm



Ceiling installation



Sloping ceiling installation



MAX.
LOAD:
80 KG

MAX.
HEIGHT
with extension:
4,50 M

MAX.
HEIGHT IN
VERTICAL
POSITION
with 2.50 m
height panel
5,75 M



Rack and pinion system

Braking system

Power drill support

Removable wooden board



Ref.: 267355 **EDMAPLAC 450**

RACK AND PINION PANEL LIFTER

Power drill assistance *available.*

To lift plasterboard in every positions : horizontal (ceiling installation), angled (sloping ceiling installation) and vertical (wall installation).

Innovative braking system with 2 handles (main brake + safety brake) to lower the panel quickly under control.

Automatic operation thanks to power drill assistance.

Its rack and pinion system allows to lift plasterboards with less effort.

Ergonomic design with bi-material handle to tilt the top rack up to vertical position.

Tool carrier wooden board included.

Easy to pass through doorway thanks to its foldable feet.

3 wheels including 2 wheels with brake.

No noise while lifting on job sites.

CE certified.

Complies with European directive «MACHINERY» - 2006/42/CE.

Approved by the VERITAS conformity report #628 8214-1.

SPECIFICATIONS

Max. load.	80 kg
Max. board dimensions	1,20 x 3,60 m
Min. board dimensions	0,15 x 0,60 m
Max. height with extension part	4,50 m
Max. height without extension part	3,50 m
Min. height	1,61 m
Max. height for vertical lifting with 2,50 m height board	5,75 m
Board loading height without extension part	84 cm
Min. width in moving/storage position	63 cm



Ceiling installation



Sloping ceiling
installation



Wall installation



Ref.: 564055

PH2 DRYWALL BIT



Ref.: 264055 **THE DIMPLER®**

MAGNETIC DRYWALL SCREW RETAINER

Powerful magnet.

Converts your regular power drill into a professional drywall screwgun.

Automatically countersinks screws to proper depth.

Prevents stripping screw head.

Eliminates paper tear of drywall.

Ideal for plasterboard and particle board.

Replaceable bit.

Reverse mode.



Ref.: 263955

PH2 DRYWALL BIT x 6 pcs

Depth stop to screw perfectly in plasterboards without drilling through them.



Ref.: 062855 **CORNER FIX**

HAND TOOL FOR FIXING CORNER BEADS

Easy punching.

For crimping expanded metal corner bead on outside corner.

Ergonomic design.

Replaceable jaws.



Ref.: 262855

REPLACEABLE TIP



Ref.: 162855

REPLACEABLE JAW

x 2 pcs.

COVERABSORB

PROTECTION AND PACKING COVER

For all types of surfaces.
Waterproof.
Absorbs possible shocks.
Anti-slip, enhances safety on site.
Quick installation and removal.
Width : 1 m.



Available in 2 dimensions:


Ref.: 178555
10 m

Ref.: 178655
25 m

Ref.: 178755 **COVERUP** **NEW**

BREATHABLE AND RECYCLABLE PROTECTIVE COVER

Non-adhesive, breathable protective cover that protects surfaces from condensation.
Layer preventing from the spread of liquids, plaster and glue.
Waterproof to all types of liquid products and projections.
Anti-slip layer.
Recyclable and without endocrine disruptors.
Reusable as an underlay for screeds.
Easy cleaning.
25 m roll.
Width: 1 m.



Ref.: 178855 **COVERPROTECT**

NON-SLIP AND REUSABLE PROTECTIVE COVER

For all types of surfaces.
Waterproof.
Absorbs possible shocks.
Non-slip, enhances safety on site.
Quick installation and removal.
Reusable.
25 m roll.
Width : 1 m.



COVERSMART

EXPANDABLE AND ADJUSTABLE SELF-ADHESIVE PROTECTIVE FILM

Waterproof.
Resistant, 40 micron thickness.
Easy installation even for one person.
Protects from projections.
Repositionable adhesive edges.
Can be used horizontally or vertically.
25 m roll.



Available in 2 dimensions:

Ref.: 179055
120 cm
Extendable width:
from 45 to 120 cm.

Ref.: 179155
160 cm
Extendable width:
from 58 to 160 cm.



1 Position



2 Stretch



3 Fix



Ref.: 260255

STEP STOOL

3 steps double sided

Made of aluminium = *light*.

Anti-slip pads.

Double sided access.

Max. height : 65,4 cm.

Max. load : 150 kg.

EN-14183 certified.



Ref.: 260355

DRYWALL BENCH

Made of aluminium = *light*.

Anti-slip pads.

Length : 98 cm.

Width : 45 cm.

Working height : 48,5 cm.

Max. load : 150 kg.

96-333 decree compliant.

Ref.: 161155

DRYWALLER STILTS

Optimized comfort and stability.

Time-saving for work at height.

Articulated to allow a fluid and stable walking.

Adjustable height from 45 cm to 76 cm.

Max. load 102 kg.

Made of aluminium = light and easy to handle.

Adjustable nylon heels for comfort.

Equipped with quick release ankle straps.

Calf and ankle protectors.

ADJUSTABLE
HEIGHT
FROM
45 CM
TO 76 CM






Ref.: 162255

HOLE SAW SET

Ø 60, 67, 74 mm

For plasterboard, wood, and PVC.
Bayonet fastening system.



Ref.: 162355

HOLE SAW SET

Ø 60, 68, 74, 80, 90 and 100 mm

For plasterboard, wood, and PVC.
Drill locking system = better stability.
Bayonet fastening system.

Ref.: 261255

HOT BALL

STAINLESS STEEL HOT BALL

Ø 35 mm

To make a 40 mm diameter channel on insulating materials behind plasterboard without damaging them.

Perfect to make your multimedia connections, switch and socket installations invisible.

Time-saving = no need to groove the wall and to repaint it.

Step 1 : drill two 40 mm diameter holes on the plasterboard, in vertical way to each other with maximum 2,50 m width.

Step 2 : uniformly heat the hot ball surface with a welding torch during 3 minutes.

Step 3 : insert the hot ball into the hole above. The hot ball melts the polystyrene to make a channel connecting the 2 holes.



Ref.: 178055

PATCH'UP

PLASTERBOARD REPAIRER


15 cm

Easy and fast to apply.

Fastly repairs damaged walls and ceilings. The repaired surface is smooth, clean and without any crack.

Light and self-adhesive for an easy application.

Made of galvanized steel for a permanent repair.



Step 1 : lightly sand around the area to be repaired and clean it. Remove the backing paper from the patch.

Step 2 : apply the patch on the area to be repaired and press firmly.

Step 3 : cover the entire patch and the surrounding area with compound. Let dry then sand to obtain a smooth surface. Repeat the operation if necessary.

Ref.: 164355

MULTI PURPOSE TOOL

8 cm

Stainless steel blade.

Bottle opener, nail puller and hammer, paint can opener, roller cleaner, scraper, joint knife, unmasking knife, filling knife/crack cleaner, rasp, cutter, 11 mm (1/4") wrench, 14 mm (3/8") wrench.

Bi-material handle with metal head.



Ref.: 164555

HEAVY DUTY SCRAPER

8 cm

Striking scraper, *adjustable* to a pole.

Stainless steel blade.

Bi-material handle with metal head.

Compatible with EDMA telescopic poles (not included).



Ref.: 066655

STAINLESS STEEL MUD PAN

300 mm

Ideal for repairs on plasterboard.

Very resistant.



Ref.: 066955

PLASTIC MUD PAN

250 mm

With galvanized steel blade to strike-off excess compound.

Soft strap to easily hold the mud pan.

2 knife holders.





Ref.: 069855

DRYWALL TAPE HOLDER

To hold and to dispense drywall tape.

Can be hooked on belt.

Quick opening design to replace tape easier.



Ref.: 276755

NEW

BUCKET SCOOP KNIFE

Allows to scrape/clean to the bottom of the bucket = avoids waste.


Curved stainless steel blade facilitates the taking of compound, in quantity.

Blade with a 13 cm radius and 16,5 cm width adapted to large buckets of compound.

Equipped with a hook to put the knife on the bucket.

Suitable for filling the EDMAPLIC or other drywall taper.

Bi-material handle with metal head.





Integrated corner roller

Adjustable compound flow rate

Possible filling with a tube

Ref.: 367955

EDMAPLIC **NEW**

DRYWALL TAPER WITH CORNER ROLLER

Allows *easy* and quick gluing of drywall tapes.

Simultaneous application of tape and compound = time saving.

Ergonomic handle and adjustable side strap for optimal grip.

Toothed wheels for easy application.

Max. capacity of the compound compartment : 1,8 l (around 2,5 kg of compound).

Possibility to switch to left-handed version.

Built-in roller for gluing tape in corners, easily foldable.

Compound flow is adjustable in 5 steps to apply the right amount to the tape.

Filling the dispenser with a filling tube is possible thanks to the opening cap and side hooks that hold it on the compound bucket.



NEW

PREMIUM JOINT KNIFE

Single material, in stainless steel = *more resistant*
Mirror finish.

Stainless steel
Blade

Flexible blade

Stiff blade

PREMIUM JOINT KNIFE	4 CM	5 CM	6 CM	8 CM	10 CM	12 CM	15 CM	20 CM	25 CM
Flexible blade (Ref.)	181055	--	181155	181255	181355	181455	181555	182055	182155
Stiff blade (Ref.)	181655	181755	--	181855	181955	--	--	--	--



Ref: 610161 **NEW**

SET OF PREMIUM JOINT KNIVES + STORAGE POUCH

Composed of:

- Ref. 181055 FLEXIBLE BLADE PREMIUM JOINT KNIFE 4 CM
- Ref. 181355 FLEXIBLE BLADE PREMIUM JOINT KNIFE 10 CM
- Ref. 181455 FLEXIBLE BLADE PREMIUM JOINT KNIFE 12 CM
- Ref. 181555 FLEXIBLE BLADE PREMIUM JOINT KNIFE 15 CM
- Ref. 182055 FLEXIBLE BLADE PREMIUM JOINT KNIFE 20 CM
- Ref. 164355 MULTI PURPOSE TOOL - 8 cm
- Ref. 280255 STORAGE POUCH FOR JOINT KNIVES

Flexible blade

Stainless
Steel
Blade



JOINT KNIFE

Mirror finish.

Bi-material handle with metal head.

Stiff blade

Carbon
Steel
Blade



JOINT KNIFE	2,5 CM	4 CM	5 CM	6 CM	8 CM	10 CM	12 CM	15 CM	18 CM	20 CM	22 CM	24 CM
Flexible blade (Ref.)	165255	165355	--	165455	165555	165655	165755	165855	265555	265655	265755	265855
Stiff blade (Ref.)	--	268155	268255	--	268355	268455	--	--	--	--	--	--

Ref.: 610160

NEW

SET OF JOINT KNIVES + STORAGE POUCH

Composed of:

- Ref. 165355 FLEXIBLE BLADE JOINT KNIFE 4 CM
- Ref. 165655 FLEXIBLE BLADE JOINT KNIFE 10 CM
- Ref. 169255 JOINT KNIFE 15 CM - With 4 removable bits
- Ref. 265655 FLEXIBLE BLADE JOINT KNIFE 20 CM
- Ref. 265855 FLEXIBLE BLADE JOINT KNIFE 24 CM
- Ref. 164355 MULTI PURPOSE TOOL - 8 cm
- Ref. 280255 STORAGE POUCH FOR JOINT KNIVES




Ref.: 280255

NEW

JOINT KNIFE STORAGE POUCH

Nylon fabric.
6 inserts.
With handle.
Zip closure system.

**Flexible blade**

JOINT KNIFE

With 4 removable bits

High drywall finishing performance.
Flexible stainless steel blade.
With removable PH1, PH2 bits as well as 5 mm and 6 mm flathead bits.
Easy release of the bits by pressing a button.
Easy storage.
Bi-material handle with metal head.

JOINT KNIFE	10 CM	12,5 CM	15 CM
Flexible blade (Ref.)	169055	169155	169255

Ref.: 069955

HAWK

330 x 330 mm

To hold compound before application.
Bi-material handle and EVA foam.
Aluminium blade with corrugated surface to maintain compound on the trowel.





PLASTERING TROWEL

Stainless steel blade.
Fiberglass-reinforced polyamide mounting =
light and durable.
Bi-material handle.

Available in 3 versions:

Ref.: 266055

Flat blade



Ref.: 266155

Curved blade



Ref.: 266255

Beveled blade



Ref.: 167055

CORNER COATING KNIFE

Stainless steel blade.
Ideal to spread compound in inaccessible areas.
Bi-material handle with metal head.

Ref.: 167955

HALF ROUND KNIFE

Stainless steel blade.
Ideal to spread compound in angles.
Bi-material handle with metal head.





Ref.: 164055

RUBBER JOINT KNIFE

To joint inner angles as well as round and hard-to-reach areas.

With nylon reinforcement.

Very light and easy to clean.

Can be used by hand or with an handle.



Ref.: 065455

INSIDE CORNER TROWEL

Stainless steel blade.

To spread compound on both interior sides of the wall in one single pass.

Ergonomic handle.

Angle 103°.

Ref.: 065755

OUTSIDE CORNER TROWEL

Stainless steel blade.

To spread compound on both exterior sides of the wall in one single pass.

Ergonomic handle.

Angle 87°.



Ref.: 278055 **NEW**

INSIDE CORNER ROLLER

To tighten the drywall tape in the horizontal and vertical inside corners.
Supplied with an adapter for connection to EDMA telescopic poles (not included).
Also compatible with a handle with M10 female end.



Ref.: 278155 **NEW**

OUTSIDE CORNER ROLLER

To tighten the drywall tape in the horizontal and vertical outside corners.
Supplied with an adapter for connection to EDMA telescopic poles (not included).
Also compatible with a handle with M10 female end.



EDMABLADE **NEW**

SMOOTHING BLADE

Allows smoothing of compounds, drywall tapes, plaster.
Easy to use thanks to its light and ergonomic structure.
Adaptable to EDMA telescopic poles (handle and poles not included).
Stainless steel blade with rounded edges for a result without trace or loss of compound.


EDMABLADE	15 CM	25 CM	35 CM	45 CM	60 CM	80 CM	100 CM
Flexible blade (Ref.)	171655	171755	171855	171955	172055	172155	172255
Stiff blade (Ref.)	371655	371755	371855	371955	372055	372155	372255

Flexible blade

Blade thickness: 0,3 mm.

Stiff blade

Blade thickness: 0,5 mm.





Ref.: 271555 **NEW**


EDMABLADE HANDLE

Allows the EDMABLADE smoothing blades to be connected to an EDMA pole.

Quick and easy fastening system.

Swivel head to adapt to the work support.

Ergonomics for an easy use without a pole.




TELESCOPIC POLE

2 sections.

Aluminium head.

TELESCOPIC POLE	0,50 - 0,90 M	0,80 - 1,50 M	1,20 - 2,40 M
Ref.	179555 N	179655 N	169955



*Stainless
steel
Blade*

REINFORCED JOINT KNIFE

Stainless steel blade mounted on rigid aluminium reinforcement.

Bi-material handle with metal head.

REINFORCED JOINT KNIFE	20 CM	25 CM	30 CM	35 CM
Ref.	169355	169455	169555	169655



*Stainless
steel
Blade*


ERGONOMIC JOINT KNIFE

Stainless steel blade mounted on rigid aluminium reinforcement.

Riveted bi-material handle.

Ideal to spread compound on large areas.

ERGONOMIC JOINT KNIFE	25 CM	35 CM	60 CM
Ref.	174355	174455	166355



Ref.: 163355

ANGULAR ABRASIVE SPONGE

Grit 60

Special for angles and corners.

Dimensions : 120 x 90 x 25 mm.

Ref.: 161255

EASY LOCK SANDER

ABRASIVE HAND SANDER

Allows sanding and finishing of walls and ceilings.

No dust accumulation on the abrasive sheet.

Quick and easy abrasive sheet replacement.



Ref.: 161355

EASY LOCK TELESCOPIC SANDER

ABRASIVE HAND SANDER ADAPTABLE TO A TELESCOPIC POLE

Allows to sand walls and ceilings without using scaffolding or step ladder.

Adjustable to EDMA telescopic poles (not included).



ABRASIVE MESH SANDING SHEET 290 X 100 MM

No dust accumulation !

Ref.: 163555

Grit 80

x 10 pcs.

Ref.: 163655

Grit 120

x 10 pcs.

Ref.: 163755

Grit 240

x 10 pcs.





Ref.: 274055

EDMALIGHT **NEW**


CORDLESS LED SURFACE INSPECTION LIGHT

Powerful LED light for detecting imperfections and surface irregularities on walls and ceilings.

Lightweight and wireless for optimal handling.

Head tilts 100° and swivels 140° with anti-slip coating to adapt to the work surface.

Adaptable to EDMA telescopic tripod and poles (not included). CE certified.



IP54



SPECIFICATIONS

Power	7,5 W
Luminous flux	715 lm
LED L70B20	+ 30000 h of use
Colour of light source	6000 K = cool white
CRI	> 80 = good colour rendering
Grazing beam	30° x 10°

Delivered with:

- Battery 14,8 V - Type 18650 - 2600 mAh - Li-ion
- Battery charger



Ref.: 274155 **NEW**

EDMALIGHT COMPATIBLE TELESCOPIC TRIPOD

Steel.

Min. height : 1,08 m.

Max. height : 2,80 m (reaches 3 m with the EDMALIGHT).

Foldable feet.

Supplied with adapter for EDMALIGHT connection.

Compatible with any product with M8 thread.



EXPANSION TOOL FOR ALL METAL ANCHORS

Sprung handles.



Ref.: 020155

BABY-FIX® BRICO

Double hinge.
Support surface : 100 x 20 mm.
Anti finger pinch.
Max. capacity : \varnothing 6 mm.



Ref.: 021155

BABY-FIX® JUNIOR

Double hinge.
Hardened steel arms and jaws.
Support surface : 100 x 20 mm.
Max. capacity : \varnothing 8 mm.





Ref.: 020355

FIX

Direct setting along the line of the hole.
Sprung handles.
Can be used with minimum effort.
Special for difficult access areas.
Max. capacity : \varnothing 8 mm.



Ref.: 021355

SUPER-FIX®

Angled head to expand metal anchors in corners
in one easy action.
Sprung handles.
Easy to use in confined spaces.
Max. capacity : \varnothing 8 mm.





EXPANSION GUN FOR ALL METAL ANCHORS

Max. capacity : \varnothing 8 mm.



Ref.: 023155

SUPRA-FIX®

Easy to use in small areas.
Compact.
Support surface : 20 x 20 mm.
Improved stroke length : 20 mm.



Ref.: 023255

ULTRA-FIX®

5 notches ratchet action.
Specially designed for effortless use with \varnothing 8 mm metal anchors.
Exceptional support surface of 30 mm.
Easy handle release system.





Ref.: 070055 **MULTI-COUP®**

MITRE SHEAR FOR VARIABLE CORNERS AND ANGLES

Fast, *neat* and effortless cutting.

Steel blade guard.

Interchangeable utility blade.



Ref.: 199255
TRAPEZE BLADE FOR CUTTER
x 10 pcs.



Ideal to cut the following materials:

- Plastic sections
- Rubber glazing joints
- Decorative mouldings
- PVC tiling edging trim
- PVC tape



Ref.: 075055 **PLURI COUP EXTRA**

MOULDINGS AND PVC ELECTRIC BASEBOARDS CUTTING PLIERS

65 mm blade which can be sharpened.

Cuts at 90°.

Cuts up to 40 x 10 mm.



Ref.: 071155
STAINLESS STEEL BLADE 65 MM
Re-sharpenable single-block blade.



Ref.: 170055

MULTI COUP BOX

Shears with 4 interchangeable bases.

• 65 mm flat cutting base:

Electrical flat cables, cords, rubber, cardboard...

• Mitre cutting base:

Flat surfaces and quarter round of wood or composite, decorative molding, PVC profiles for tile finishing, rubber seals...

• Cutting base for cutting 16 mm and 20 mm pipes:

For IRL, ICTA, PVC pipes.

• Cutting base for cutting 45 x 25 mm wire duct.

Clean cut without any distortion.

No need to deburr : time-saving.

65 mm stainless steel blade, interchangeable, can be sharpened.

Carrying case included.



PAINTER







Ref.: 274055

EDMALIGHT **NEW**


CORDLESS LED SURFACE INSPECTION LIGHT

Powerful LED light for detecting imperfections and surface irregularities on walls and ceilings.

Lightweight and wireless for optimal handling.

Head tilts 100° and swivels 140° with anti-slip coating to adapt to the work surface.

Adaptable to EDMA telescopic tripod and poles (not included).
CE certified.



IP54



SPECIFICATIONS

Power	7,5 W
Luminous flux	715 lm
LED L70B20	+ 30000 h of use
Colour of light source	6000 K = cool white
CRI	> 80 = good colour rendering
Grazing beam	30° x 10°

Delivered with:

- Battery 14,8 V - Type 18650 - 2600 mAh - Li-ion
- Battery charger



Ref.: 274155 **NEW**

EDMALIGHT COMPATIBLE TELESCOPIC TRIPOD

Steel.

Min. height : 1,08 m.


Max. height : 2,80 m (reaches 3 m with the EDMALIGHT).

Foldable feet.

Supplied with adapter for EDMALIGHT connection.

Compatible with any product with M8 thread.





Ref.: 277855 **NEW**

TRIANGULAR PAINTER'S SCRAPER

Allows to dig, to widen the cracks in the wall or the ceiling before filling.

Replaceable stainless steel blade, 3 mm thick.

Long bi-material handle usable with 2 hands.



Ref.: 527781
SPARE BLADE



Ref.: 277955 **NEW**

PRECISION SCRAPER + 7 BLADES

Multi-purpose thanks to its blades of different shapes and sizes.
4 tungsten carbide blades ideal for meticulous, precise work, such as window frames, skirting boards but also places that are difficult to access.

3 stainless steel blades for stripping paint, varnish, compound on different shapes.

6-blade case for easy storage.

Ergonomic bi-material handle for a comfortable grip.

Delivered with a belt holster for storage.



Ref.: 527791
SPARE BLADE
x 6 pcs.



Ref.: 527782
SPARE TRIANGULAR BLADE

Ref.: 164355

MULTI PURPOSE TOOL

8 cm

Stainless steel blade.

Bottle opener, nail puller and hammer, paint can opener, roller cleaner, scraper, joint knife, unmasking knife, filling knife/crack cleaner, rasp, cutter, 11 mm (1/4") wrench, 14 mm (3/8") wrench.

Bi-material handle with metal head.



Ref.: 164555

HEAVY DUTY SCRAPER

8 cm

Striking scraper, *adjustable* to a pole.

Stainless steel blade.

Bi-material handle with metal head.

Compatible with EDMA telescopic poles (not included).



Ref.: 167055

CORNER COATING KNIFE

Stainless steel blade.

Ideal to spread compound in inaccessible areas.

Bi-material handle with metal head.



Ref.: 167955

HALF ROUND KNIFE

Stainless steel blade.

Ideal to spread compound in angles.

Bi-material handle with metal head.



Ref.: 276755

NEW

BUCKET SCOOP KNIFE

Allows to scrape/clean to the bottom of the bucket = avoids waste.


Curved stainless steel blade facilitates the taking of compound, in quantity.

Blade with a 13 cm radius and 16,5 cm width adapted to large buckets of compound.

Equipped with a hook to put the knife on the bucket.

Suitable for filling the EDMAPLIC or other drywall taper.

Bi-material handle with metal head.


NEW

JOINT KNIFE WITH ROUNDED BLADE

0,5 mm thick stainless steel blade.

Rounded blade allowing to stay flat on the surface to work.

Reinforcement stiffening the blade over its entire width.

Bi-material handle with metal head.

JOINT KNIFE WITH ROUNDED BLADE

Ref.

10 CM

12 CM

14 CM

16 CM

18 CM

20 CM

22 CM

24 CM

277055

277155

277255

277355

277455

277555

277655

277755

Flexible blade

NEW

PREMIUM JOINT KNIFE

Single material, in stainless steel = *more resistant.*
Mirror finish.

Stainless steel
Blade

Stiff blade

PREMIUM JOINT KNIFE	4 CM	5 CM	6 CM	8 CM	10 CM	12 CM	15 CM	20 CM	25 CM
Flexible blade (Ref.)	181055	--	181155	181255	181355	181455	181555	182055	182155
Stiff blade (Ref.)	181655	181755	--	181855	181955	--	--	--	--




Ref.: 610161

NEW

SET OF PREMIUM JOINT KNIVES + STORAGE POUCH

Composed of:

- Ref. 181055 FLEXIBLE BLADE PREMIUM JOINT KNIFE 4 CM
- Ref. 181355 FLEXIBLE BLADE PREMIUM JOINT KNIFE 10 CM
- Ref. 181455 FLEXIBLE BLADE PREMIUM JOINT KNIFE 12 CM
- Ref. 181555 FLEXIBLE BLADE PREMIUM JOINT KNIFE 15 CM
- Ref. 182055 FLEXIBLE BLADE PREMIUM JOINT KNIFE 20 CM
- Ref. 164355 MULTI PURPOSE TOOL - 8 cm
- Ref. 280255 STORAGE POUCH FOR JOINT KNIVES

**Flexible blade**

Blade thickness : 0,3 mm.

Stiff blade

Blade thickness : 0,5 mm.

EDMABLADE TWIST **NEW****SWIVEL SMOOTHING BLADE**

Allows smoothing of compounds, drywall tapes, plaster.

Handle can be adjusted in 2 positions to adapt to the work support.

Easy to use thanks to its light and ergonomic structure.

Adaptable to EDMA telescopic poles (handle and poles not included).

Stainless steel blade with rounded edges for a result without trace or loss of compound.

**Position 1**
Wall
application**Position 2**
Ceiling
application

EDMABLADE TWIST	15 CM	25 CM	35 CM	45 CM	60 CM	80 CM	100 CM
Flexible blade (Ref.)	271655	271755	271855	271955	272055	272155	272255
Stiff blade (Ref.)	471655	471755	471855	471955	472055	472155	472255



Ref.: 271555 **NEW**

EDMABLADE HANDLE

Allows the EDMABLADE smoothing blades to be connected to an EDMA pole.

Quick and easy fastening system.

Swivel head to adapt to the work support.

Ergonomics for an easy use without a pole.

TELESCOPIC POLE

2 sections.

Aluminium head.

TELESCOPIC POLE	0,50 - 0,90 M	0,80 - 1,50 M	1,20 - 2,40 M
Ref.	179555 N	179655 N	169955









CE

Ref.: 259755

NEW

GEL KNEE PADS

Comfortable and *resistant*.

Soft nylon shell.

Breathable SBR neoprene fabric.

Injected foam and gel padding for maximum comfort.

Double adjustable straps with buckles = easy adjustment, no shearing effect.
Ideal to protect your knees from hard surfaces such as cement, overall floor coverings or roofs.
CE certified.

EN14404: 2004+AI: 2010 - Type 1 level 1.



CE

Ref.: 259855

NEW

GEL KNEE PADS WITH STABILIZING REINFORCEMENT

***Optimal* stability and protection thanks to TPR reinforcements.**

Breathable SBR neoprene fabric.

Injected foam and gel padding for maximum comfort.

Double adjustable straps with buckles = easy adjustment, no shearing effect.

Ideal to protect your knees from hard surfaces such as cement, overall floor coverings or roofs.
CE certified.

EN14404: 2004+AI: 2010 - Type 1 level 1.



Ref.: 258555

NEW

ROLLER KNEE SUPPORTS

Lightweight and comfortable for optimal mobility.

Ideal for laying all types of flooring.

360° rotation thanks to its 3 wheels, allowing quick movements without leaving marks.

Gel cushion for more comfort.

Straps reduce tension behind the knee.

Close to the floor to avoid premature back fatigue.

Possibility to remove the wheeled base by pressing a button.





EDMATILE MONORAIL TILE CUTTER

Fast and precise cutting.

For straight and angled cuts up to 45°.

Cutting trolley on 6 ball bearings.

Aluminium base = lightweight tool.

2 different separators to adapt to the thickness of the tiles.

High performance tungsten carbide cutting wheel.

Graduated lateral supports with adjustable and swivelling stop.

Ergonomic handle.

Carrying bag included.

EDMATILE	600	925	1350
Carrying bag (Ref.)	251055	251155	251255
Carrying bag + case (Ref.) NEW	251001	251101	251201
Max. cutting thickness	20 mm	20 mm	20 mm
Max. tile size / straight cut	650 x 650 mm	950 x 950 mm	1350 x 1350 mm
Max. tile size / diagonal cut	455 x 455 mm	670 x 670 mm	950 x 950 mm

NEW

CARRYING CASE

Transportation and storage in all *safety*.

Double thickness = rigid, shock-resistant.

Metal buckle closure.

With integrated handle.



CARRYING CASE	M	L	XL
Ref.	743021	743022	743023
Outer dimensions	1030 x 390 x 250 mm	1330 x 390 x 250 mm	1730 x 390 x 250 mm
Inner dimensions	945 x 265 x 222 mm	1255 x 265 x 222 mm	1650 x 265 x 222 mm



MAIN GAUGE

Ref.: 525101 For EDMATILE 600.

Ref.: 525104 For EDMATILE 925.

Ref.: 525105 For EDMATILE 1350.



Ref.: 525102

COMPLETE CUTTING TROLLEY

For EDMATILE 600, 925, 1350.



Ref.: 525100

BALL BEARING CUTTING WHEEL

For EDMATILE and EDMATILE XXL.
Ø 22 x Ø 6 x 2 mm.

Ref.: 251355 **EDMATILE XXL**

CUTTING SYSTEM FOR LARGE TILES

Composed of:

3 push-on aluminium guides of 1100 mm.

2 aluminium suction cups.


1 trolley with cutting wheel.

2 separating pliers.

Max. cutting length : 3000 mm.

Max. cutting thickness : 8 mm.

Carrying bag included.





Ref.: 251455

SCRIBE TIP

Enables to draw on tile and ceramic.
Tungstene carbide point.
Swivelling head = right-handed or left-handed use.
Ergonomic handle.
Can be used to scrub the seals.



Ref.: 251655

TILE CUTTING PLIERS

Wheel and breaking system integrated.
Handle spring.
Bi-material ergonomic handle.



Ref.: 251755

MOSAIC TILE CUTTING PLIERS

Enables to make small cuts and croppings.
Deported tungsten carbide jaws.
Handle spring.
Bi-material ergonomic handles.





Ref.: 070055 **MULTI-COUP®**

MITRE SHEAR FOR VARIABLE CORNERS AND ANGLES

Fast, *neat* and effortless cutting.

Steel blade guard.

Interchangeable utility blade.

Ideal to cut the following materials:

- Plastic sections
- Rubber glazing joints
- Decorative mouldings
- PVC tiling edging trim
- PVC tape



Ref.: 199255
**TRAPEZE BLADE
FOR CUTTER**
x 10 pcs.



Ref.: 088255 **DUPLIC FORM**

CONTOUR GAUGE

250 mm

To match contours to be cut.

For plumbing pipes as well as mouldings and so on.

Width : 250 mm.

Depth : 45 mm.




**NEW**

DRILL BIT

For water drilling of ceramics, stoneware and porcelain drilling.

DRILL BIT	Ø 6 MM	Ø 8 MM	Ø 10 MM	Ø 35 MM	Ø 43 MM	Ø 68 MM	Ø 100 MM	Ø 120 MM
Ref.	272355	272455	272555	272655	272755	272855	272955	273055

**NEW**

CORE DRILL

For dry drilling of ceramics, stoneware and porcelain.

Max. 14000 RPM.

CORE DRILL	Ø 6 MM	Ø 8 MM	Ø 10 MM	Ø 35 MM	Ø 45 MM	Ø 68 MM	Ø 100 MM	Ø 120 MM
Ref.	273155	273255	273355	273455	273555	273655	273755	273855



Ref.: 251955

DRILL BITS BOX

Ø 6, 8, 10, 12, 28, 35, 43, 68 mm

For water drilling of ceramics, stoneware and porcelain drilling.



Ref.: 252055

CORE DRILL BOX

Ø 6, 8, 10, 12, 28, 35, 40, 45, 65, 68 mm

For dry drilling of ceramics, stoneware and porcelain.

Max. 14000 RPM.



Ref.: 273955

NEW

DRILL GUIDE FOR DRILL BITS

Ø 6 to 84 mm

Centring holes Ø 6, 8, 10 and 12 mm.

Max. capacity of the central guide: Ø 84 mm.

Easy adjustment and locking.

Allows optimum centring of the drill bit when drilling.

Can be fixed on the surface to be drilled thanks to its suction cup.

Equipped with connection for water cooling system.



Ref.: 258355

ABRASIVE BLOCK**150 x 50 x 25 mm**

Double grit : 120 and 240.

To sand, adjust, bevel the edges of the tiles.



Ref.: 252155

FLEXIBLE MIXING BUCKET**40 l**

Ideal for glue preparation, jointing and transport of rubble.

Made of polyethylene.

Equipped with 2 handles for easy transport.

MIXING PADDLE

Ref.: 254855

Ø 100 mm

SDS mounting.



Ref.: 254955


Ø 120 mm

SDS mounting.

Ref.: 255055

Ø 140 mm

M14 mounting.



Ref.: 257355

ADJUSTABLE ROLLING SUPPORT

Light and compact

EVA resin tray and retractable steel handle.
7 rubber wheels.

SPECIFICATIONS

Extendable length	up to 70 cm
Dimensions	58 x 40 cm
Max. load	220 kg



TILE LIFTER

Quick adjustment system.
Ideal to easily carry tiles.
Centered handle whatever the width of tile to carry.

Available in 2 dimensions:

Ref.: 269055

Adjustable from 280 to 665 mm

35 KG*
MAXIMUM CARRIED LOAD

Ref.: 369055

Adjustable from 280 to 800 mm

50 KG*
MAXIMUM CARRIED LOAD



* Test performed by on a 40 cm x 40 cm tile.



SUCTION CUP

Aluminium alloy.

For smooth tiles and surfaces.



1 head Ø 120 mm



2 heads Ø 120 mm



3 heads Ø 120 mm

SUCTION CUP	SINGLE	DOUBLE	TRIPLE
Ref.	250155	250255	250355
Max. capacity for floor laying	40-50 kg	90-100 kg	130-140 kg
Max. capacity for wall laying	30-40 kg	80-90 kg	120-130 kg

Ref.: 257255

SINGLE VACUUM SUCTION CUP

1 head Ø 200 mm.

Double lip.

With pressure mark required.

For tiles and smooth surfaces.

Carrying case included.

SPECIFICATION

Max. capacity for floor laying	150 kg
Max. capacity for wall laying	120 kg



ACCESS PANEL TO BE TILED

Easy to install, invisible, easy to open.

Available in 2 dimensions:

Ref.: 257455

30 x 30 cm

Outer dimensions: 309 x 309 mm.

Ref.: 257555

40 x 40 cm

Outer dimensions: 409 x 409 mm.



Ref.: 257655

EDMAGNETIK

MAGNETIC SYSTEM FOR MAKING INSPECTION HATCHES

Quick and invisible installation.

Composed of 4 legs with magnet and 4 magnetic plates.

The tile becomes the hatch = custom-made.

Max. adhesion power : 3 kg.



WATERPROOF STAINLESS STEEL FLOOR HATCH

Double seal.

Stainless steel.

Opening keys included.

Available in 3 dimensions:

Ref.: 257755

30 x 30 cm

Ref.: 257855

40 x 40 cm

Ref.: 257955

60 x 60 cm





Stainless
Steel
Blade



NOTCHED SPREADER

300 mm

Stainless steel blade.

TEETH DIMENSIONS	4 X 4 MM	6 X 6 MM	8 X 8 MM	10 X 10 MM	HALF MOON - 20 X 10 MM
Ref.	255155	255255	255355	255455	255555



Stainless
Steel
Blade

NOTCHED TROWEL

280 mm

Stainless steel blade.

Fiberglass-reinforced polyamide frame = lightweight and durable.

Ergonomic bi-material handle.

	NEW					NEW
TEETH DIMENSIONS	4 X 4 MM	6 X 6 MM	8 X 8 MM	10 X 10 MM	10 X 10 MM - 45°	HALF MOON - 20 X 10 MM
Ref.	258655	255655	255755	255855	255955	259455

Ref.: 256055

MARGIN TROWEL

80 mm

Stainless steel blade.

Bi-material ergonomic handle.

Stainless
Steel
Blade





TILE SPACER

Enables to make steady spacing between tiles.
In bag.



RECOVERABLE TILE SPACER

Reusable.
Enables a steady aligning of tiles.
In bag.

THICKNESS	1,5 MM	2 MM	2,5 MM	3 MM	4 MM	5 MM
Single use (Ref. / Qty)	252355 x 300 pcs	252455 x 300 pcs	---	252555 x 200 pcs	252655 x 200 pcs	---
Reusable (Ref. / Qty)	252755 x 100 pcs	252855 x 100 pcs	252955 x 100 pcs	253055 x 75 pcs	253155 x 50 pcs	253255 x 40 pcs

Consumption table (for information)

Tile dimensions	10x10	15x15	20x20	30x30	40x40	45x45	50x50	60x30	60x60
Necessary tile spacers/m ²	100	49	25	16	9	9	4	8	4



Ref.: 253955

TILE WEDGE

5 mm - x 500 pcs

Dimensions : 30 x 6 mm.
Thickness from 1 to 5 mm.
In bag.



MARKLESS MALLET

1 spherical face and 1 flat face.
To position the tile and facilitate its
adhesion.
Avoids traces.

Ref.: 254055
250 g

Ref.: 254155
500 g

EDMALEVEL

SELF-LEVELLING SYSTEM

Quick and easy installation.

Eliminates level differences and maintains a constant joint width.



Ref.: 259255 **NEW**

STARTING KIT 100 PCS 1,5 mm


- 1 adjusting pliers
 - 100 clips of 1,5 mm
 - 100 wedges
- In bucket.

Ref.: 259355 **NEW**

STARTING KIT 100 PCS 2 mm

- 1 adjusting pliers
 - 100 clips of 2 mm
 - 100 wedges
- In bucket.

Allow tiles from 3 to 13 mm thick to be laid and levelled.



Double die for wide or narrow spacers.

Adjustable spacing.

Adjustable spacing.

Stop screw allowing a steady pressure during serial laying.

Ergonomic bi-material handle.

Removable plastic stops.

Resistant.

Resistant.

Clear break at the base of the foot for an invisible result.

In bag.



Allow tiles from 3 to 13 mm thick to be laid and levelled.

Allow tiles from 11 to 20 mm thick to be laid and levelled.



Ref.: 258255

x 250 pcs

Dimensions: 91 x 23 mm.

Thickness from 2 to 18 mm.

Toothed.

Reusable.

In bag.

A diagram showing a 3x3 grid of squares. The horizontal distance between the center of the first and second squares is labeled $X = 60 \text{ cm}$. The vertical distance between the center of the first and second squares is labeled $Y = 60 \text{ cm}$.



Ref.: 256355 **EDMACLEAN**

24 L TILE JOINT KIT + ACCESSORIES

For cleaning and grouting tiles.

Composed of :

- 1 bucket of 24 L graduated
- 4 removable wheels, 2 of which with brakes
- 2 removable perforated spin rollers
- 1 cleaning grid
- 1 sponge float
- 1 grout float





GROUT SPREADER

Allows to pour and clean the joints.

Available in 2 dimensions :

Ref.: 256155
200 mm

Ref.: 256255
300 mm



GROUT FLOAT

Ergonomic handle.

Ref.: 256455
Hard - 250 X 100 mm
For epoxy joints.
Bevelled edges.

Ref.: 256555
Medium - 270 X 130 mm


TILE SPONGE



Ref.: 254255
200 x 100 x 60 mm
1 abrasive side and
1 absorbent side.



Ref.: 258455
190 x 130 x 50 mm
Rounded edges.



SPONGE FLOAT

Thickness 30 mm.
Ergonomic handle.

Ref.: 257155

Cutted - 280 x 140 mm

Optimized efficiency.

Ref.: 257055

280 x 140 mm



Ref.: 256655

CLEANING FLOAT

Self-gripping

Allows to clean tiles and joints.

Composed of:

- 1 plastic support with ergonomic handle
- 1 hard abrasive self-gripping pad 250 x 100 mm
- 1 soft abrasive self-gripping pad 250 x 100 mm

SPARE PAD - 250 X 100 MM



Ref.: 256755

Self-gripping.

Soft abrasion x 1 pc +
hard abrasion x 1 pc.



Ref.: 256855

Soft abrasion x 2 pcs.



Ref.: 256955

Hard abrasion x 2 pcs.



FLOOR SQUEEGEE

Enables to clean and grout.

Double foam.

Reinforced bush ø 24 mm.

Available in 2 dimensions:

Ref.: 254355

55 cm

Ref.: 259955

75 cm

NEW



Ref.: 254655

CLEANING BRUSH + SQUEEGEE

42 cm

2 in 1.

Double row of hard hair.

Adaptable on EDMA telescopic poles (not included).

Ref.: 254755

GROUT SAW

Use with 1 or 2 blade(s).

Supplied with 2 tungsten carbide blades : 1 set on the tool, the additional one within the storage compartment.





FLOORING INSTALLER







CE

Ref.: 259755 **NEW**

GEL KNEE PADS

Comfortable and resistant.

Soft nylon shell.

Breathable SBR neoprene fabric.

Injected foam and gel padding for maximum comfort.

Double adjustable straps with buckles = easy adjustment, no shearing effect.

Ideal to protect your knees from hard surfaces such as cement, overall floor coverings or roofs.

CE certified.

EN14404: 2004+AI: 2010 - Type 1 level 1.



CE

Ref.: 259855 **NEW**

GEL KNEE PADS WITH STABILIZING REINFORCEMENT

Optimal stability and protection thanks to TPR reinforcements.

Breathable SBR neoprene fabric.

Injected foam and gel padding for maximum comfort.

Double adjustable straps with buckles = easy adjustment, no shearing effect.

Ideal to protect your knees from hard surfaces such as cement, overall floor coverings or roofs.

CE certified.

EN14404: 2004+AI: 2010 - Type 1 level 1.



Ref.: 258555

NEW

ROLLER KNEE SUPPORTS

Lightweight and comfortable for optimal mobility.

Ideal for laying all types of flooring.

360° rotation thanks to its 3 wheels, allowing quick movements without leaving marks.

Gel cushion for more comfort.

Straps reduce tension behind the knee.

Close to the floor to avoid premature back fatigue.

Possibility to remove the wheeled base by pressing a button.





Ref.: 089755

LAMINOCUT®

LAMINATE, VINYL AND PVC FLOORING GUILLOTINE

Fast cut without damaging the melamine surface.

No breathable dust.

No noise.

No sharpening required ever on blade.

3 cutting possibilities :

- Straight cut.
- Angle cut from 0° to 90°.
- Cut in length.

Cuts up to 210 mm overall width, 11 mm thickness.

Protective felt pads.

Ref.: 089355

STRATICUT® 230 LVT

LAMINATE AND VINYL FLOORING GUILLOTINE

Fast and *effortless* cutting.

No breathable dust.

No noise.

No sharpening required ever on blade.

Removable stoppers to make angle cuts, cuts in length and wider than 230 mm planks.

Max. width with stoppers : 230 mm overall.

Cutting die with 2 positions :

- Position 1 (narrow die) : to cut LVT (Luxury Vinyl Tile), HD vinyl and PVC floorings up to 12 mm thick.
- Position 2 (wide die) : to cut laminate floorings up to 12 mm thick.

Accessories :

- 1 trestle.
- 1 dust collector.





Ref.: 089055

STRATICUT® 230

LAMINATE FLOORING GUILLOTINE

Fast and *effortless* cutting.

No breathable dust.

No noise.

No sharpening required ever on blade.

Removable stoppers to make angle cuts, cuts in length and wider than 230 mm planks.

Max. width with stoppers : 230 mm overall.

Cutting capacity: max. 12 mm thickness.

Accessories :

- 1 trestle.
- 1 dust collector.



Ref.: 289955

MEGA STRATICUT® 400

LAMINATE FLOORING GUILLOTINE 400 mm

Fast and *effortless* cutting.

No breathable dust.

No noise.

No sharpening required ever on blade.

Removable stoppers to make angle cuts, cuts in length and wider than 400 mm planks.

Max. width with stoppers (overall) : 230 mm, 320 mm and 400 mm.

Cutting capacity: max. 15 mm thickness.

Accessories :

- 1 trestle.
- 1 dust collector.



Ref.: 088255

DUPLIC FORM

CONTOUR GAUGE


250 mm

To match contours to be cut.

For plumbing pipes as well as mouldings and so on.

Width : 250 mm.

Depth : 45 mm.



1,5 mm



5,5 mm



8 mm




Engineered 3/8"



10 mm



10 mm



12 mm

Ref.: 087055

SET TAK-TIK

COMPLETE SET FOR INSTALLING LAMINATE FLOORING

Ideal to install laminate and MDF floorings (click-together design).

The set includes :

- 1 pulling bar (metal frame) : to move the boards lengthwise to remove gaps when adjusting flooring boards.
- 1 plastic tapping block : evenly distributes force from hammer when tapping planks together.
- 50 spacer blocks : to make an expansion joint between the wall and the laminate flooring.



Ref.: 087355

SPACER BLOCK

x 48 pcs

For laminate flooring installation.



Ref.: 087255

SUPER TAK-TIK

PULLING BAR FOR LAMINATE FLOORING INSTALLATION

With crowbar system.

Wide head for larger pulling surface.

Soft-touch material covers the base of the pulling bar to protect the laminate flooring.

For click-together laminate flooring.



Ref.: 262855

REPLACEABLE TIP

Ref.: 269155

BLOC PARKET

TAPPING BLOCK FOR HARDWOOD AND LAMINATE FLOORING

Dimensions : 500 x 70 x 20 mm.

P.E block.





Ref.: 085055 **CAMELEON 130**

MITRE GUILLOTINE

130 mm stainless steel blade.

Clean cut without any dust : wooden skirting boards, parquet flooring boards, panelling, battens, door frame mouldings, etc...

Perfect cut up to 28 mm height and 130 mm length with a range of angles from 45 to 90°.

Long handle for a fast and easy cut.

Ideal for cutting european woods (oak, beech...), american woods (cherry, southern yellow pine...), northern pine, PVC panelling, MDF panelling...



Ref.: 071055 **MULTI-COUP® EXTRA**

MITRE SHEARS WITH VARIABLE ANGLE CUTS

Clean and effortless cut.

Allows easy cutting of decorative moulding, wood skirting boards, rubber seals, PVC sections.



Ref.: 071155

STAINLESS STEEL BLADE - 65 MM

Re-sharpenable single-block blade.



Ref.: 064555 **TRANSPLAC**

HEAVY DUTY BOARD LIFTER

Allows to carry boards and panels by one person.

New wide base for better stability.



Ref.: 064055 **DUOPLAC**

BOARD CARRIER HANDLES

Set of 2 pieces.

Steel handles to carry boards and panels by 2 persons.

Anti-slip grips.



Ref.: 066055 **FOOTPLAC**

BOARD LEVER WITH STEEL STIRRUP

To lift panels for an accurate positioning thanks to its rocker system.

Wide base for better balance.

Also ideal to unhinge doors.

Extra wide loop suitable for most safety footwear.





FACADE INSTALLER







COVERSMART

EXPANDABLE AND ADJUSTABLE SELF-ADHESIVE PROTECTIVE FILM

Waterproof.
Resistant, 40 micron thickness.
Easy installation even for one person.
Protects from projections.
Repositionable adhesive edges.
Can be used horizontally or vertically.
25 m roll.

Available in 2 dimensions:

Ref.: 179055

120 cm

Extendable width : from 45 to 120 cm.

Ref.: 179155

160 cm

Extendable width : from 58 to 160 cm.



1 Position



2 Stretch



3 Fix

CE



OSCILOCUT **NEW**

VIBRATING WIRE CUTTING TABLE

For insulation materials

Clean cut of insulation materials such as rock wool, mineral wool, glass wool, polyurethane, expanded and extruded polystyrene (E.P.S. and X.P.S.), phenolic foam, glass foam, rubber foam.

Battery operated for greater freedom of work.

Delivered assembled, compact for easy storage and transport. CE certified.

OSCILOCUT

With aluminium and wood carrying case (Ref.)	368355
Without carrying case (Ref.)	368301
Max. cutting height	650 mm
Max. cutting thickness	270 mm
Motor	18 V, brushless = longer life
Lithium battery	18 V - 2 Ah
Vibration frequency	1500 times/min

Accessories included:

- Motor
- Battery + battery charger
- 1 mounted cutting wire + 5 spare wires

Possible cutting shapes:



RECTANGULAR



ANGLED



STEPPED



CHAMFERED



GROOVED



VERTICAL CUTS



OPENWORK



Ref.: 536830
SPARE WIRE



Ref.: 536831
SPARE BATTERY
Batterie lithium 18 V - 2 Ah.



Ref.: 536832
BATTERY CHARGER



Ref.: 366955

MINERAL WOOL CUTTING TABLE

Special for rock wool panels.
Ideal to cut sheep wool, glass wool, cellulose wadding...
Allows accurate and clean cuts.
Made of aluminium.

SPECIFICATIONS

Max. cutting height	1200 mm
Max. cutting thickness	260 mm
Chamfered cut	up to 45°
Angle cut	up to 50°

Possibles cutting shapes:



RECTANGULAR



ANGLED



CHAMFERED

Accessories included:

- 300 mm knife for insulation material
- Carrying case with wheels.



Ref.: 366255

INSULACUT

RECIPROCATING ELECTRIC SAW FOR MINERAL INSULATION MATERIAL

Effortless, accurate and clean cut.

Special for mineral insulation material such as rock wool.

14.4 V - 1.5 Ah Li-ion battery and charger included.

Blade length : 300 mm.

CE certified.



CE



Ref.: 366355

SPARE BLADE
300 mm.



Ref.: 536621

SPARE BATTERY

Li-ion battery 14,4 V - 1,5 Ah.



Ref.: 536622

BATTERY CHARGER



INSULATION CUTTER

2 different tooth shapes.

Holster included.

Symmetrical bi-material handle.

To cut without any effort rock wool, glass wool, wood wool or hemp insulating panels, flax, cellulose wadding panels, etc... from 3 to 20 cm thick.

Available in 2 dimensions:

Ref.: 066455

300 mm

Ref.: 168055

420 mm





Adjustable cutting height
Already assembled



Ref.: 367155

FOLDABLE HOT WIRE CUTTING TABLE

For styrofoam panel, especially for E.T.I.C.S. applications

Clean cut without polystyrene beads projection.

For expanded and extruded polystyrene (E.P.S. and X.P.S.).


Transformer : 42 V / 240 W / 230 V.

CE certified.

SPECIFICATIONS

Adjustable cutting height	from 810 to 1400 mm
Max. depth	320 mm

Possible cutting shapes:



Accessories included:

- Carrying case
- 2 wire rolls



Ref.: 536712
HOLDER **NEW**



Ref.: 367455
2 M WIRE ROLL



Ref.: 536711
TRANSFORMER



Ref.: 526666
BATTERY PACK
Composed of a Li-ion battery (36 V - 2 Ah) and its charger + a battery rack to connect to the machine.



Ref.: 526665
SPARE BATTERY
Li-ion battery 36 V - 2 Ah.



Ref.: 526793
BATTERY CHARGER



Ref.: 526667
FOOT SWITCH
Cutting action controlled by foot.
Allows to get free hands to make step cuts or channels easily on E.P.S. panels.
Secured by a steel shell.



CE

Ref.: 266555

HOT WIRE CUTTING TABLE

For styrofoam panel, especially for E.T.I.C.S. applications

Clean cut without polystyrene beads projection.

For expanded and extruded polystyrene (E.P.S. and X.P.S.).

Transformer : 40 V / 200 W / 230 V.

CE certified.

SPECIFICATIONS

Max. depth	330 mm
Max. height	1320 mm
Max. width	1550 mm
Angle cuts	from 0 to 90°
Chamfered cuts	from 90 to 15°
Groove cutting	until 300 mm depth

Possible cutting shapes:



RECTANGULAR



ANGLED



STEPPED



CHAMFERED



GROOVED

Accessories included:

- Carrying case with wheels
- Scaffold hanging accessory
- Folding feet
- 2 cutting wires



Ref.: 366855

SPARE WIRE - 1500 MM



Ref.: 267155

TRANSFORMER



Ref.: 526666

BATTERY PACK

Composed of a Li-ion battery (36 V - 2 Ah) and its charger + a battery rack to connect to the machine.



Ref.: 526665

SPARE BATTERY

Li-ion battery 36 V - 2 Ah.



Ref.: 526793

BATTERY CHARGER



Ref.: 526667

FOOT SWITCH

Cutting action controlled by foot. Allows to get free hands to make step cuts or channels easily on E.P.S. panels. Secured by a steel shell.



Ref.: 366655

HOT WIRE CORNER CUTTER

For styrofoam


Cutting accessory for expanded polystyrene (E.P.S.) and extruded polystyrene (X.P.S.) to adapt on a hot wire cutting table (ref. 266555/367155).

Allows multiple vertical cutting possibilities.

SPECIFICATIONS

Max. cutting depth	500 mm
Max. cutting thickness	310 mm

Possible cutting shapes:



ON THE TABLE REF. 266555:

2 possible positions depending on the height of the panels to be cut :

- High position : for panels up to 1000 mm high.
- Low position : for panels up to 600 mm high.

ON THE TABLE REF. 367155:

3 possible positions depending on the height of the panels to be cut :

- High position : for panels up to 1015 mm high.
- Intermediate position : for panels up to 815 mm high.
- Low position : for panels up to 615 mm high.

Accessories included:

- Carrying case.
- Li-ion battery and charger.




Ref: 466855
SPARE WIRE - 610 MM



Ref: 536621
SPARE BATTERY
Li-ion battery 14,4 V - 1,5 Ah.



Ref: 536622
BATTERY CHARGER



Ref.: 260155

HORIZONTAL HOT WIRE CUTTING TABLE

For styrofoam

Clean cut without polystyrene beads projection.

Clean cut without polystyrene beads projection.

For expanded and extruded polystyrene (E.P.S. and X.P.S.).

Transformer : 40 V / 200 W / 230 V.

CE certified.

SPECIFICATIONS

Max. depth	330 mm
Max. width	1 320 mm
Angle cuts	from 0 to 90°
Chamfered cuts	from 90 to 15°

Possible cutting shapes:




RECTANGULAR

ANGLED



CHAMFERED



IDEAL FOR CUTTING
POLYSTYRENE SLABS



Ref.: 266855
SPARE WIRE - 1370 MM



Ref.: 267155
TRANSFORMER



Ref.: 526666
BATTERY PACK
Composed of a Li-ion battery (36 V - 2 Ah) and its charger + a battery rack to connect to the machine.



Ref.: 526665
SPARE BATTERY
Li-ion battery 36 V - 2 Ah.



Ref.: 526793
BATTERY CHARGER



Ref.: 266655

HOT WIRE CUTTING BOW

For styrofoam

Clean cut without polystyrene beads projection.

For expanded and extruded polystyrene (E.P.S. and X.P.S.).

Transformer : 40 V / 200 W / 230 V.

CE certified.

SPECIFICATIONS

Max. depth	330 mm
Max. width	1 370 mm


Possible cutting shapes:



RECTANGULAR



ANGLED



IDEAL FOR CUTTING
POLYSTYRENE SLABS



Ref.: 266855
SPARE WIRE - 1370 MM



Ref.: 267155
TRANSFORMER



Ref.: 267955

CORDLESS HOT WIRE CUTTING BOW

For styrofoam

Clean cut without polystyrene beads projection.

For expanded and extruded polystyrene (E.P.S. and X.P.S.).

Li-ion battery : 36 V - 2 Ah.

CE certified.

SPECIFICATIONS

Max. depth	330 mm
Max. width	1 370 mm


Possible cutting shapes:



RECTANGULAR



ANGLED



IDEAL FOR CUTTING
POLYSTYRENE SLABS



Ref.: 266855
SPARE WIRE - 1370 MM



Ref.: 526665
SPARE BATTERY
Li-ion battery 36 V - 2 Ah.



Ref.: 526793
BATTERY CHARGER





EDMAFOAM

HOT KNIFE WITH AIR-COOLING SYSTEM

Faster clean and effortless cutting of styrofoam panels (E.P.S./X.P.S.).

No dust.

Air-cooling system enabling to be continuously operated.

Power: 320 W.

CE certified.

CE



Available in 2 versions:

Ref.: 366755

Starting kit

Delivered in a plastic case including:

- 200 mm blade
- Metallic brush
- Blade fixing key

Ref.: 367555

Hot-knife + 3 blades set

Delivered in a plastic case including:

- 200 mm blade
- 250 mm blade
- 30 mm groove cutter
- Metallic brush
- Blade fixing key


ACCESSORIES FOR HOT KNIFE



Ref.: 466455

BLIND HOLE CUTTER Ø 70 mm

Max. depth : 70 mm.
Min. depth : 25 mm.
Ideal for electrical box.



Ref.: 466555

GROOVE CUTTER Ø 30 mm

Perfect 30 mm groove cut.
Ideal for electrical pipes.



Ref.: 466655

CUTTING GUIDE 210 mm

Perfect straight cut up to
210 mm width.



SPARE BLADE

Ref.: 266755

15 cm

Ref.: 466755

20 cm

Ref.: 536750

25 cm



Ref.: 069055 **CANALCUT**

PRECISION INSULATION CUTTER

For all types of insulation materials, such as : E.P.S., polyurethane, rock wool, glass wool, underfloor heating.

Groove stainless steel blade for making 35 mm (width) x 35 mm (depth) channel to insert pipes up to max. 32 mm diameter.

2 interchangeable blades:

1/ 35 x 35 mm groove blade.

Thermal bridges are easily avoided while cutting.

2/ 80 cm blade for curved shape removal.

Scoring E.P.S. plasterboard.

Roofing water insulation grading.

To cut insulation material.



Ref.: 069555

GROOVE BLADE - 35 X 35 MM



Ref.: 068155

BLADE SET - 40, 60, 80, 100 MM



Ref.: 164955

ABRASIVE SANDER SPECIAL FOR E.T.I.C.S.

380 x 160 mm

Special for external insulation and cellular concrete.



Ref.: 065455

INSIDE CORNER TROWEL

Stainless steel blade.
To spread compound on both interior sides of the wall in one single pass.
Ergonomic handle.
Angle 103°.



Ref.: 065755

OUTSIDE CORNER TROWEL

Stainless steel blade.
To spread compound on both exterior sides of the wall in one single pass.
Ergonomic handle.
Angle 87°.



EDMABLADE **NEW**

SMOOTHING BLADE

Allows smoothing of compounds, drywall tapes, plaster.
Easy to use thanks to its light and ergonomic structure.
Adaptable to EDMA telescopic poles (handle and poles not included).
Stainless steel blade with rounded edges for a result without trace or loss of compound.

Ref.: 372055

Stiff blade 60 cm

Blade thickness : 0,5 mm.


Ref.: 172055

Flexible blade 60 cm


Blade thickness : 0,3 mm.



ROOFER







Ref.: 130555

NAIL POUCH

Made of smooth top-grain cowhide leather.
Adjustable leather/nylon belt.
2 large pockets and 1 tool holder.



Ref.: 260055

TOOL POUCH

Made of smooth top-grain cowhide leather.
Adjustable nylon belt.
8 pockets.
2 tool holders.
1 measuring tape pocket.



Ref.: 280155

NEW**SINGLE POCKET CONTRACTOR RIG**

Nylon fabric.
Reinforced adjustable belt with roller buckle.
8 inserts.
2 tools holders,
1 measuring tape holder.



Ref.: 280055

CONTRACTOR RIG

Nylon fabric.
12 pockets : 2 steel hammer holders, 1 tape holder.
Adjustable belt with roller buckle.



Ref.: 033255

LIT' UP

WOODEN BATTEN REMOVER

For roof renovation.

Heavy-duty.

Resistance to effort : 1 ton.



Ref.: 087555

DÉCHAUSS' TOUT

TELESCOPIC WOODEN BATTEN REMOVER

Telescopic arm (min. 550 mm / max. 940 mm).

Heavy-duty.

Resistance to effort : 1 ton.



Ref.: 036755

LATHE AXE

Polished blade.

With nail puller.



Ref.: 037355

ROOFER'S ADZE

Hand forged.

With nail puller and hammer face.

Leather handle.



Ref.: 035855

ROOFER'S HAMMER

Steel tube handle.

PVC grip.

Magnetic nail holder.

Polished finish.



Ref.: 035955

FORGED ROOFER'S HAMMER

All steel forged.

Leather handle.

Magnetic nail holder.



Ref.: 060955 **MAX LINE**

CHALK LINE REEL WITH LARGE HANDLE

50 m

For long distance marking.
Built-in filter system to prevent excess chalk.
Rope diameter: 2,5 mm (braided).
Capacity: 300 g.



Ref.: 260555
**BRAIDED SPARE
ROPE Ø 2.5 MM**



Ref.: 064255 **ROOF LINE**

SPECIAL CHALK LINE REEL FOR ROOFERS

30 m

Chalk line reel with two handles.
To reduce movement on the roof.
Rope diameter : 1,5 mm (braided).
Capacity : 2 x 100 g.
Built-in filter system to prevent excess chalk.



Ref.: 564255
**BRAIDED SPARE
ROPE Ø 1.5 MM**

MARKING CHALK

WEIGHT	200 G	400 G	1 000 G	3 500 G
Ref.	063855	064955	064355	065155



Ref.: 132955

CARPENTER PENCIL

x 12 pcs

To mark on dry wood.



Ref.: 031855

PUNCHER

HAMMER TACKER

Recommended for fixing heavy sheets, insulation sheets on roof and protective strips for wooden joists.

Solidary magazine with quick and easy staple loading.

Magazine capacity : approx. 175 staples.

Large striking range.

Very good balance.

Ultra-comfortable bi-material handle.



STAPLE

Galvanised staples.

Width: 10,6 mm.

Thickness: 1,2 mm.



HEIGHT

1000 pcs (Ref.)

8 MM

232055 **N**

10 MM

232155 **N**

12 MM

232255 **N**

14 MM

231955

5000 pcs (Ref.)

031955



Ref.: 133355

DECLIMETER

Allows to determine the inclination of the roof structure.

Graduations every degree.



Ref.: 032855

BATTEN GAUGE

For wooden batten positioning

Easy to use.

Aluminium pattern.

With scale from 15 to 40 mm.



Ref.: 035555

ROLL MAT

SLATE CUTTER

600 mm

Registered design.

For natural and synthetic slates.

Max. cutting thickness : 6 mm.

2 different working positions : straight position for ground work and tilted position for roof work.

Can be easily attached to roof battens thanks to its notches.

Large cutting platform graduated every 10 mm.

Square gauges for regular straight and angular cuts.

Cutting trolley guiding on bearings and rubber end stops.

Trolley locking system.

Carrying strap and dust collector included.



Ref.: 503550

SPARE CUTTING DISC



Ref.: 033055

PRO MAT-COUP 210

SLATE CUTTER

Clean and effortless cut up to 7 mm thickness.

Easy forward movement of the slate for progressive cutting action.

Easy to move on the roof, with a fixing point for laths.





Ref.: 231055 **MASTERCUT**

SLATE CUTTING AND PUNCHING PLIERS

Optimised lever system for effortless cutting.
Innovative design for two different working ways (classic and reverse).
The blade, punch and spring have been reinforced by heat treatment to be much more durable.
The handle guard avoids to get pinched.
Ergonomic pliers with bi-material handles.
Easy maintenance : made of few parts, which makes the tool cleaning much easier.
Cuts, shapes and punches the natural slate up to 7 mm thick.



MAT

SLATE CUTTING AND PUNCHING PLIERS

2 en 1 = slate cutting and punching.

No breathable dust, no crumbling.
Ergonomic and bi-material grip.
To cut and punch natural and man made slate max. 7 mm thick.

Ref.: 031055
MAT
35 mm blade.

Ref.: 032455
MAT 2
55 mm blade.





MAT COUP

SLATE CUTTING PLIERS

No dust, no crumbling.

Ergonomic and bi-material grip.

To cut natural and man made slate max. 7 mm thick.

Ref.: 032055

MAT COUP

35 mm blade.

Ref.: 032555

MAT COUP 2

55 mm blade.



Ref.: 523100
**SPARE SPRING
FOR MASTERCUT**



Ref.: 523101
**SPARE PUNCH
FOR MASTERCUT**



Ref.: 031755
SPRING FOR MAT COUP, MAT COUP 2
x 5 pcs.



Ref.: 231155
**BLADE FOR MAT
AND MAT COUP**
35 MM



Ref.: 232655
**BLADE FOR MAT 2
AND MAT COUP 2**
55 MM



Ref.: 031255
**PUNCH FOR MAT,
MAT 2**



Ref.: 031555
**REPAIR KIT FOR MAT
AND MAT 2**

**SLATER'S ANVIL****400 mm**

All edges polished.
 Straightened.
 Curved tip.

Ref.: 032155

**Right
handed**

Ref.: 032255


**Left
handed****"FRENCH"
SLATER'S HAMMER**

Hand forged.
 Leather handle.
 Nail puller.
 Polished finish.

Ref.: 038155

**Right
handed**

Ref.: 038255

**Left
handed****"TRADITIONAL"
SLATER'S HAMMER**

Hand forged.
 Leather handle.
 Large face.
 Nail puller.
 Polished finish.

Ref.: 038355

**Right
handed**

Ref.: 038455

**Left
handed****"UNIVERSAL"
SLATER'S HAMMER**

Hand forged.
 Left and right bevel.
 Leather handle.
 Nail puller.
 Polished finish.

Ref.: 039655

**Right
handed**

Ref.: 139655

**Left
handed**



WELDED SLATE RIPPER

Traditional slate ripper.
Welded.
Made of steel.

Ref.: 037655
400 mm


Ref.: 037755
600 mm



Ref.: 131255

BEVEL

200 mm wooden handle.
Adjustable angle measurement.



Ref.: 131355

BRACKET

Made of aluminium.



Ref.: 032955

COMPASS

250 mm

Forged high quality compass.
Hardened and polished steel tips.



Ref.: 036155

SCRIBER TOOL

Stainless steel tracing template.
Graduations from 5 to 100 mm (from 5 to 5 mm).

Ref.: 033155

ZINC AND LAMINATE SCRIBER

Carbide tipped.
Extremely resistant tip.
Folding, cutting and marking of
zinc and laminate sheets.





Ref.: 010755 **FLYER'S**

FORGED AVIATION SNIP

Drop forged chromium molybdenum steel jaws.
Handle spring.
One hand automatic latch release.
Effortless cut.
Blade length: 42 mm.
Finger guard.



CUTTING CAPACITIES

Stainless steel	1,2 mm
Sheet metal, galvanised, zinc	0,8 mm



Ref.: 010655 **FLYER'SL 75**

FORGED AVIATION SNIP 75 mm long blades

Special for zinc.
Chromium molybdenum steel serrate blades.
Powerful and long lasting handle spring.
Finger guard.
One hand automatic latch release.



CUTTING CAPACITIES

Stainless steel	0,8 mm
Soft metal	1,2 mm

Ref.: 109055
Left cut



Ref.: 010955
Right cut

APOLLO

FORGED AVIATION SNIP

Articulated tin snip.
Drop forged chromium molybdenum steel jaws.
Blade length: 35 mm.
Finger guard.

CUTTING CAPACITIES

Stainless steel	0,9 mm
Blue sheet steel	1 mm
Galvanised sheet, zinc	1,2 mm
Copper, brass, sheet metal	1,5 mm
PVC, aluminium	2 mm
Polycarbonate	2,5 mm

Ref.: 102055
Left cut



Ref.: 010255
Right cut

UPPER-CUT

SHEARS «PASSE-FRANC»

Tin snip with offset blades.
Blade length: 35 mm.
Finger guard.

CUTTING CAPACITIES

Stainless steel	0,9 mm
Blue sheet steel	1 mm
Galvanised sheet, zinc	1,2 mm
Copper, brass, sheet metal	1,5 mm
PVC, aluminium	2 mm
Polycarbonate	2,5 mm



Ref.: 012055

UNIVERSAL FORGED SHEARS

250 mm
Wide and narrow blade shears.

Carbon steel.

For straight cuts and long curves.

Blade length: 67 mm.

56 HRC long life blades.


Handles with PVC dipping (thermal insulation).

CUTTING CAPACITIES

Stainless steel	1 mm
Galvanised sheet, zinc	1,2 mm



Ref.: 126055

Left cut


Ref.: 012655

Right cut

FORGED SHEARS PELICAN

300 mm

Carbon steel.

Specially designed for long straight cut.

Blade length: 62 mm.

56 HRC long life blades.


Handles with PVC dipping (thermal insulation).

CUTTING CAPACITIES

Stainless steel	1,2 mm
Galvanised sheet, zinc	1,8 mm



Ref.: 012355
Left cut



Ref.: 012255
Right cut

FIGURE HOLE FORGED SHEARS

250 mm

Carbon steel.

For straight cuts and short curves.

Blade length: 42 mm.

56 HRC long life blades.

Handles with PVC dipping (thermal insulation).

CUTTING CAPACITIES

Stainless steel	1 mm
Galvanised sheet, zinc	1,5 mm



Ref.: 012555
Left cut



Ref.: 012455
Right cut

OFFSET FORGED SHEARS

260 mm

Carbon steel.

For long straight cuts and long curves.

Blade length: 30 mm.

56 HRC long life blades.

Handles with PVC dipping (thermal insulation).

CUTTING CAPACITIES

Stainless steel	1 mm
Galvanised sheet, zinc	1,5 mm



Ref.: 011055

SUPERCOU


NIBBLER SHEARS

With built-in waste curl cutter

For flat sheet metal.

CUTTING CAPACITIES

Stainless steel	0,8 mm
Galvanised steel, zinc, sheet metal	1,2 mm
PVC, vinyl flooring, aluminium	2 mm



Ref.: 010155

NIBBLER SHEARS NR1


NIBBLER SHEARS

For flat sheet metal.

Perfect for cutting stud and track.

CUTTING CAPACITIES

Stainless steel	0,6 mm
Galvanised steel, zinc, sheet metal	1,2 mm
PVC, vinyl flooring, aluminium	2 mm



Ref.: 011355

SUPERCOU NR3


NIBBLER SHEARS SPECIAL CORRUGATED IRON

With built-in waste curl cutter

Special for corrugated metal.

CUTTING CAPACITIES

Stainless steel	0,6 mm
Galvanised steel, zinc, sheet metal	1,2 mm
PVC, vinyl flooring, aluminium	2 mm



Ref.: 101055

BLADE FOR NIBBLER SHEARS NR1



Ref.: 111055

CUTTING UNIT FOR SUPERCOU



Ref.: 105055

BLADE FOR SUPERCOU



Ref.: 103055

BLADE FOR SUPERCOU NR3

Ref.: 038955

TURBOSHEAR

ADAPTABLE SHEARS ON POWER DRILL

Neat. quick and easy cut.

Minimum 14.4 V - 2 Ah power drill.

Single handed operation.

Can be used upside down.

CUTTING CAPACITIES

Stainless steel	0,9 mm
Galvanised steel, copper	1,5 mm
Aluminium	2 mm



Ref.: 138955

SPARE BLADES KIT



Ref.: 017255

NIBBLEX® UNIVERSAL

ADAPTABLE NIBBLER SHEARS ON POWER DRILL

Neat and quick cut.

Power drill attachment for flat or corrugated metal and PVC surfaces.

Speed 300 rpm minimum.

Multidirectional die.

CUTTING CAPACITIES

Stainless steel	0,8 mm
Galvanised steel, zinc, sheet metal, copper, brass	1,5 mm
PVC, vinyl flooring, aluminium	2 mm
Polycarbonate	2,5 mm



Ref.: 017455

PUNCH + DIE SET





Ref.: 133055

NIBBLER HAND NOTCHER

Notch dimensions: 33 mm x 3 mm.

Neat cut.

Max. capacity on zinc : 0.6 mm thickness.



Ref.: 034155

INTERPERFOR

NOTCH PUNCHING MACHINE

3,5 x 15 mm


Ideal for vinyl coated cladding sheet, zinc or aluminium.

Makes a notch of 3.5 x 15 mm to prevent buckling.

Depth of 9 to 21 mm from the oblong axis.

NOTCHING CAPACITIES

Zinc, sheet metal cladding	0,8 mm
Plastic	1 mm

Ref.: 039055
PUNCH + DIE

PUNCH DIAMETER	Ø 3,3 MM	Ø 4,1 MM	Ø 4,9 MM	Ø 6,2 MM
Stainless steel	1,2 mm	1 mm	0,8 mm	0,5 mm
Sheet metal	1,5 mm	1,5 mm	1,2 mm	0,8 mm
Aluminium	3 mm	2 mm	2 mm	1,5 mm

Ref.: 018555

POLYPERFOR

PUNCHING MACHINE

Sheet metal and slate.

Punching power: 740 kg.

Precise graduation opening to max. 8 mm.

Adjustable depth guide up to 43 mm.

Applications : roofing, suspended ceilings etc.

Supplied with 5 punches:

- Ø 3.3 mm for sheet metal + Ø 3.3 mm for slate.
- Ø 4.1 mm for steel suspension wires.
- Ø 4.9 mm and 6.2 mm for threaded rod.

Ref.: 018455
PUNCH SET

Ø 3,3 mm, Ø 4,1 mm, Ø 4,9 mm, Ø 6,2 mm.




Ref.: 130455

4 rolls

4 guide rolls = special long sheets.

Possibility of separating the tool to get two single benders with 2 rolls (ref. 130355).



Ref.: 130855

8 rolls

8 guide rolls = special long sheets.

Possibility of separating the tool to get two single benders with 4 rolls (ref. 130155).

DOUBLE BENDER

Tool to make folds, counterfolds, raised areas on sheets.

Machine to make edging and bending of sheet metal.

For zinc, aluminium, soft metal, stainless steel.

Height from 5 mm up to 200 mm.




FOLDING CAPACITIES

Stainless steel	0,5 mm
Steel, sheet metal	0,7 mm
Copper	0,8 mm
Zinc, aluminium	1 mm

4 rolls

With aluminium handle.

Ref.: 130955	350 mm	Folding depth: 350 mm
Ref.: 130155	200 mm	Folding depth: 200 mm



Ref.: 130355

2 rolls

Folding depth: 200 mm.



SINGLE BENDER

Tool to make folds, counterfolds, raised areas on sheets.
Machine to make edging and bending of sheet metal.
Faster than clinching pliers.



FOLDING CAPACITIES

Stainless steel	0,5 mm
Steel, sheet metal	0,7 mm
Copper	0,8 mm
Zinc, aluminium	1 mm

Ref.: 130755

EDGE ROLLER

25 mm

Tool to make bends from 90° to 180° max.
For curved fold.
Graduated in cm and inches.
Handle with leverage effect.
Height of raised areas continuously adjustable
from 5 to 25 mm.



FOLDING CAPACITIES

Stainless steel	0,5 mm
Steel, sheet metal	0,7 mm
Copper	0,8 mm
Zinc, aluminium	1 mm

DISK ROLLER

Tool to make bends from 90° to 180° max.
From 8 mm to 40 mm high.
Max. thickness : 1 mm.
Tool ready to work : no adjustment necessary.

FOLDING CAPACITIES

Stainless steel	0,5 mm
Steel, sheet metal	0,7 mm
Copper	0,8 mm
Zinc, aluminium	1 mm

Ref.: 130255
Single




Ref.: 230255
With retractable stopper

Retractable stopper to get out the tool while folding.



Ref.: 130655
Double





CLINCHING PLIERS

Straight

Lap joint.

Handles with PVC dipping (thermal insulation).

WIDTH	22 MM	60 MM	80 MM	100 MM
Ref.	039155	039355	039455	039555
Folding depth	32 mm	54 mm	54 mm	66 mm



CLINCHING PLIERS


Bent of 45°

Lap joint.

Handles with PVC dipping (thermal insulation).

WIDTH	22 MM	60 MM	80 MM
Ref.	034255	034455	034555
Folding depth	20 mm	45 mm	50 mm





CLINCHING PLIERS

Bent of 90°

Lap joint.

Handles with PVC dipping (thermal insulation).

Ref.: 034855

60 mm

Folding depth:
55 mm.




SEAMING PLIERS

Straight

Lap joint.

Raise large and deep measure.

WIDTH	180 MM	200 MM
Ref.	030555	030655
Folding depth	175 mm	185 mm



Ref.: 038655

SQUARE SEAM FOLDER

Operated square seam folder joins SPM 30/80 profiles.

SPECIFICATIONS

Tool width	220 mm
Claw height	50 mm



Ref.: 038755

TWIN SQUARE SEAM FOLDER

Allows simple and quick shaping of locked square seam into double-seam in just one operation.

SPECIFICATIONS

Tool width	220 mm
Claw height	50 mm



Ref.: 132555

SEMI-CIRCULAR DORMER SQUARE SEAM FOLDER



Tool joining prefabricated SPM-profiles.

Used to tack up lengthwise beads to prevent withdrawal from folding press.

Can make small radius lockseam without difficulty.

SPECIFICATIONS

Tool width	65 mm
Claw height	55 mm



Ref.: 131155

SEAM OPENING PLIERS

Seam and gutter opening pliers.

Forged steel head.

Head length 30 mm.

Handles with PVC dipping (thermal insulation).



Ref.: 135955

EAVES EDGER 105 TK

Allows quick and accurate sheet metal shaping constructing eaves, gutters, dormer windows etc...

Can be rotated 90°, even if the gutter is already installed.



SPECIFICATIONS

Tool width	250 mm
Claw height	40 mm
Adjustment depth of the stop	250 mm



Ref.: 132355

EAVES CLOSING JAWS

Fastening without hammering.

SPECIFICATIONS

Tool width	220 mm
Claw height	50 mm



Ref.: 132255


TILE EDGER


To build any slope for tile edges.

Supplied with a 200 cm measuring tape.

SPECIFICATIONS

Tool width	70 mm
Claw height	40 mm





Ref.: 132155

LEAD DRESSER

Asymmetrical shape.



Ref.: 132755

BENDING STICK

Round, bent shape.



Ref.: 132655

BOSSING STICK

Slim, rounded shape.



Ref.: 132855

SETTING STICK

Slim, straight shape.



Ref.: 037255

GROOVING HAMMER

1 round face and bent edge.
Polished finish.



TINMAN'S MALLET

Made of PVC.



Ref.: 033955

Angular

Dimensions:

85 x 40 x 150 mm.

Ref.: 233955

Rectangular

Dimensions:

145 x 35 x 75 mm.



Ref.: 135255

GROOVING HAMMER DIFFERENT FACES

Fine polished finish.

Faces differently bent.

One vertical face.

One horizontal face.



Ref.: 135355

DEAD BLOW SOFT FACED HAMMER

Diameter : 32 mm.

Polished finish.

Lacquered.

Curved.

Head of shock-resistant nylon.



Ref.: 035155

SEAMING IRON

With flat blade

Forged steel.

Block height: 25 mm.

Long blade.

Block with $\varnothing 5 \times 15$ mm hole.



Ref.: 035255

DOUBLE SEAMING IRON

Forged steel.

Block height 25 and 35 mm.



Ref.: 035455

FOLDING TOOL

«Squeezing folding pliers»

Special forged steel.

Depth : 140 mm.

Ref.: 036455

ROOFER'S HOLDER

Soldering iron tip cleaning set

Special for zinc.

Salt of ammonia, cleaning brush and plastic container.

Stripper not included.




Ref.: 136455

BAG OF 25 BRUSHES



Ref.: 236455

AMMONIA STONE



Ref.: 131855

GUTTER HANGER BENDER

Head made of malleable casting GTW 40.
Steel tubes with plastic handles.

MAX. CAPACITIES

Width	40 mm
Thickness	8 mm



Ref.: 036055

INTERCLIPS ZINC

CLINCHING PLIERS FOR ZINC OR ENAMEL-PLATED ALUMINIUM GUTTERS

Quick and strong fixing.

6 x 3 mm crimp.

For zinc or enamel-plated aluminium gutters, edge strip.

Depth of 5 to 20 mm.

CLINCHING CAPACITIES

Zinc, aluminium	0,8 mm
Sheet metal	0,75 mm






Ref.: 035055 **MAXI-RET®**

EFFORTLESS SWAGING TOOL

5 blades

Pipe crimping tool for all types of metallic pipes.
Special for stainless steel pipes up to 0.8 mm.
Progressive reduction of the pipe diameter.
Swaging by 52 mm with 2 impressions in 1 press.



Ref.: 031755
SPARE SPRING
x 5 pcs.



RET

SWAGING TOOL

Pipe crimping tool for all types of metallic pipes.

Ref.: 030355

3 blades

Special for square pipes.
Swaging by 30 mm.



Ref.: 030055

5 blades

Swaging by 30 mm with
2 impressions in 1 press.



Ref.: 050155

PIPE POSITIONER

Small variable angle vice

From 8 to 30 mm diameter tubes.

To weld all pipes, sections and wrought iron.

Variable arms span up to 60 mm.



Ref.: 035655

ROOF TILE NIBBLER

Induction hardened steel.

Handles with PVC dipping (thermal insulation).



Ref.: 131455

ROOF TILE LINE

To trim roof tile.

File area : 200 mm x 30 mm.

2 sides : fine grit and coarse grit.



Ref.: 134955

WELD SEAM TESTER

Ergonomical wooden handle.

90° angled.



Ref.: 135055

SCISSORS SPECIAL FOR PLASTIC SHEETS

For roof and sealing sheets.

Polished blades.

Varnished black.

250 mm blades.



Ref.: 135155

PLASTIC BOTTLE 500 ml

LDPE transparent.

Screw cap and angled brush attachment.



PRESSURE ROLLER

2 enclosed smooth-running ball bearings.
Silicone roller.
Bolted axis.
Ergonomical wooden handle for maximum pressure.
Bracket one-sided.
For overlap welding.
Ø 33 mm.



Ref.: 134255
28 mm width



Ref.: 134355
45 mm width



Ref.: 134455
45° angled
45 mm width




Ref.: 134655

PRESSURE ROLLER

Plain bearing.
Silicone roller.
Riveted axis.
Ergonomical wooden handle.
Bracketed on both sides.
For overlap welding.
Ø 33 mm.



90 mm width



Ref.: 234355

ERGONOMIC PRESSURE ROLLER

Ergonomic design to provide maximum pressure and to avoid musculoskeletal disorders.
2 enclosed smooth-running ball bearings.
For overlap welding.
Silicone roller.
Ø 33 mm.

45 mm width



6 mm width



Ref.: 134555

BRASS PRESSURE ROLLER

Enclosed smooth-running ball bearing.
45° angled.
Ergonomical wooden handle.
Ø 28 mm.

STEEL PRESSURE ROLLER

2 enclosed smooth-running ball bearings.
Steel roller.
Heavy duty design.
Ergonomical wooden handle.
For cold pressure welding.
Ø 40 mm.

Ref.: 134755

40 mm width



Ref.: 134855

60 mm width



TILE LIFTER

Quick adjustment system.

Ideal to easily carry tiles.

Centered handle whatever the width of tile to carry.

Available in 2 dimensions:

Ref.: 269055

Adjustable from 280 to 665 mm



35 KG*
MAXIMUM CARRIED LOAD

Ref.: 369055

Adjustable from 280 to 800 mm



50 KG*
MAXIMUM CARRIED LOAD

* Test performed by **SGS** on a 40 cm x 40 cm tile.



Ref.: 039855

CLIN FIX®

CLADDING SUPPORTS

Set of 2 pieces.

To install overlap claddings (fiber cement, fiber wood or wood) by 1 person alone.

Allows to hold planks in position before nailing with overlap of 30 mm.

For all claddings from 6 mm to 16 mm thick.

Adjustable for different widths of clinkers from 160 mm to 255 mm.



EXAMPLES OF FIBER-CEMENT WIDTH

Hardie Plank type	180 mm
Cedral type	190 mm
Duracolor or Hardie Linea type	210 mm
Ced'R-TEX type	225 mm

Ref.: 037055 **ALPHACUT**

GUILLOTINE TO CUT FIBER CEMENT SIDING

Neat cut without any effort.

No sharpening required ever on blade.

No breathable dust.

No noise.

CUTTING CAPACITIES

Max. width	210 mm
Max. thickness	11 mm



Ref.: 089955 **VARIOCUT**

GUILLOTINE TO CUT FIBER CEMENT SIDING

Clean cut without any effort.

Special for length cuts.

No sharpening required ever on blade.

Possible cuts from 0° to 90°.

No breathable dust.

No noise.

CUTTING CAPACITIES

Max. width for straight cutting	320 mm
Max. width for angular cutting	210 mm
Max. thickness	12 mm

Also includes:

- 1 trestle.
- 1 waste collector.



Ref.: 230155

TURBOSHEAR FIBER CEMENT

ADAPTABLE FIBER CEMENT SHEARS ON POWER DRILL

Clean and easy cut on fiber cement panels
(such as Aquapanel® Outdoor).

Fits all types of power drills/screwdrivers (from 14,4 V).

Max. cutting thickness : 12.5 mm.

Produce minimal dust.

360° rotating head secures in any position for optimum tool clearance.



Ref.: 523011
REPLACEMENT BLADE
AND SKID PLATE



Ref.: 073155

TRIOCOUP'

PIPE CUTTING TOOL

Ø 16, 20 and 25 mm

Effortless and clean cut without distortion nor burr.

Replaceable stainless steel blade with double sharpening.

Auto-locking barrel, 3 cutting slots.

Rotation of the barrel to select the cutting diameter.

Allows the cutting of plastic pipes (PVC, PER, ICTA, IRL, IRO) and multilayer pipes.



Ref.: 073255
STAINLESS
STEEL BLADE





Ref.: 165955
REPLACEABLE DIE

Ref.: 065955 **RODCUT**

ROD GUILLOTINE

Ø 6, 7, 8, 10 mm

Clean cut = immediate bolting.

No noise.

Can be used to repair damaged threaded rod.

No waste (no metal filings).

No sparks - No risk of fire - No special permit.

M7 rod (7 mm diam.) 150 threaded rods, can be cut on 10 mm diam. slot :
special for heating, ventilation, air-conditioning and sanitary engineers.

Up to 6.6 soft steel: 60 kg/mm².

Cannot cut stainless steel threaded rod.

650 mm adjustable cutting guide can be positioned on the right or left.



Ref.: 038855 **MINI RODCUT M8**

ROD GUILLOTINE

Ø 4, 6 and 8 mm

Clean cut = immediate bolting.

No noise.

Can be used to repair damaged threaded rod.

No waste (no metal filings).

No sparks - No risk of fire - No special permit.

Up to 6.6 soft steel: 60 kg/mm².

Cannot cut stainless steel threaded rod.

545 mm adjustable cutting guide can be
positioned on the right or left.




Ref.: 138855
REPLACEABLE DIE



MASON







Ref.: 260155

HORIZONTAL HOT WIRE CUTTING TABLE

For styrofoam*Clean* cut without polystyrene beads projection.

Clean cut without polystyrene beads projection.

For expanded and extruded polystyrene (E.P.S. and X.P.S.).

Transformer : 40 V / 200 W / 230 V.

CE certified.

SPECIFICATIONS

Max. depth	330 mm
Max. width	1 320 mm
Angle cuts	from 0 to 90°
Chamfered cuts	from 90 to 15°

Possible cutting shapes:




RECTANGULAR

ANGLED



CHAMFERED

IDEAL FOR CUTTING
POLYSTYRENE SLABS

Ref.: 266855

SPARE WIRE - 1370 MM

Ref.: 267155

TRANSFORMER

Ref.: 526666

BATTERY PACK

Composed of a Li-ion battery (36 V - 2 Ah) and its charger + a battery rack to connect to the machine.



Ref.: 526665

SPARE BATTERY

Li-ion battery 36 V - 2 Ah.



Ref.: 526793

BATTERY CHARGER

Ref.: 266655

HOT WIRE CUTTING BOW

For styrofoam

Clean cut without polystyrene beads projection.

For expanded and extruded polystyrene (E.P.S. and X.P.S.).
Transformer : 40 V / 200 W / 230 V.
CE certified.

SPECIFICATIONS

Max. depth	330 mm
Max. width	1 370 mm

Possible cutting shapes:



RECTANGULAR



ANGLED



IDEAL FOR CUTTING
POLYSTYRENE SLABS



Ref.: 266855
SPARE WIRE - 1370 MM



Ref.: 267155
TRANSFORMER



Ref.: 267955

CORDLESS HOT WIRE CUTTING BOW

For styrofoam

Clean cut without polystyrene beads projection.

For expanded and extruded polystyrene (E.P.S. and X.P.S.).
Li-ion battery : 36 V - 2 Ah.
CE certified.

SPECIFICATIONS

Max. depth	330 mm
Max. width	1 370 mm

Possible cutting shapes:



RECTANGULAR



ANGLED



IDEAL FOR CUTTING
POLYSTYRENE SLABS



Ref.: 266855
SPARE WIRE - 1370 MM



Ref.: 526665
SPARE BATTERY
Li-ion battery 36 V - 2 Ah.



Ref.: 526793
BATTERY CHARGER





Ref.: 175555 **NEW**

MAGNETIC TAPE MEASURE 5 m x 25 mm

Magnetic double hook for easy measuring.

Nylon-coated tape protected against dust and water.

Double marking : horizontal and vertical reading.

Class II accuracy.

Ergonomic and compact design.

Reinforced and anti-slip case.

Equipped with 2 buttons: braking and locking of the tape.

Belt hook + leash.



Ref.: 175055

TAPE MEASURE 5 m x 25 mm

Antishock rubber box.

Nylon coated tape protected against dust and water.

Class II accuracy.

Equipped with 2 buttons: braking and locking of the tape.

Belt hook + leash.



MARKING CHALK

Ref.: 065255

3500 g

Ref.: 063255

400 g

Ref.: 063155

1000 g

Ref.: 063355

200 g



Ref.: 060755 **ALU LINE**
**ALUMINIUM
 CHALK LINE REEL**
30 m

Built-in filter system to prevent excess chalk.
 Rope diameter: 1 mm.
 Capacity: 80g.



Ref.: 060555 **FAST LINE**
**FAST REWINDING
 CHALK LINE REEL**
30 m

Rewinds 5 times faster.
 Built-in filter system to prevent excess chalk.
 Rope diameter: 1 mm.
 Capacity: 100 g.



Ref.: 060955 **MAX LINE**
**CHALK LINE REEL
 WITH LARGE HANDLE**
50 m

For long distance marking.
 Built-in filter system to prevent excess chalk.
 Rope diameter: 2,5 mm (braided).
 Capacity: 300 g.



Ref.: 160555
**BRAIDED SPARE ROPE
 FOR FAST LINE AND ALU
 LINE - Ø 1 MM**



Ref.: 260555
**BRAIDED SPARE ROPE
 Ø 2.5 MM FOR MAX LINE**



Ref.: 266955
**REBAR
 GUILLOTINE**

Allows to cut and bend steel rebars.
 Double function : cutting and bending.
 Max. diameter for cutting application : 18 mm.
 Max. diameter for bending application : 16 mm.





EDMATYER

CORDLESS REBAR TYER**Light and compact**

Enables to quickly, efficiently and effortlessly, tie rebars together.

Automatic adjustment of tying power according the rebars dimensions to tie.



Ref.: 367655

24 mm

To be used with 100 m wire coils, i.e. around 280 ties/coil.

Capacity of tying links : \varnothing 12 to 24 mm.

Ref.: 367755

XL - 40 mm

To be used with 100 m wire coils, i.e. around 145 ties/coil.


Capacity of tying links : \varnothing 26 to 40 mm.



SPECIFICATIONS	EDMATYER	EDMATYER XL
Size	300 x 225 x 68 mm	315 x 225 x 68 mm
Weight	1,2 kg	1,2 kg
Power	14,4 V	14,4 V
Ø links	12 to 24 mm	26 to 40 mm
Tying speed	0,8 s	0,8 s
Tying wraps	2	3
No of links per full battery cycle	2 000	1 100
Links per roll	Around 280	Around 145
Battery - Ref. 536760	Lithium-Ion 14,4 V / 2 Ah	Lithium-Ion 14,4 V / 2 Ah
Charging time	2,8 h	2,8 h
Charger - Ref. 536761	14,4 V / 2,9 A	14,4 V / 2,9 A

Delivered with:

- 1 wire coil 100 m
- 2 batteries 14,4 V - 2 Ah
- 1 double charger
- 1 cutting pliers
- 1 allen key
- 1 carrying case



Ref.: 367855
**CARTON OF
20 WIRE COILS**



Ref.: 536760
SPARE BATTERY
14,4 V - 2 Ah.



Ref.: 536761
**DOUBLE BATTERY
CHARGER**
14,4 V - 2,9 A.

Ref.: 049855

TURBO 24

PNEUMATIC GUN FOR CL 24 STAPLE INSTALLATION

5-8 bar working pressure.

Magazine capacity : around 100 CL 24 staples.

Applications:

- Swimming pool formwork.
- Industrial fastening.



CL 24 STAPLE

Wire Ø: 1,8 mm.

10 000 PCS



GALVANIZED

Wire resistance : 650 - 750 N/mm².
Galvanized treatment.

Ref. 190000




Ref.: 045555

TORNADO

AUTOMATIC BINDER FOR METAL LOOP TIE WIRE

Ideal for rebar fastening or fencing applications.
Soft hand grip.





Galvanized ø 1 mm



Annealed ø 1,1 mm

LOOP TIE WIRE

Allows to fasten elements together.

To use with an automatic binder.

For different kinds of fastening : rebar, fencing, gravel bags.

Approximative quantity per coil.

LENGTH QUANTITY	100 MM	120 MM	140 MM	160 MM	180 MM	200 MM
GALVANIZED LOOP TIE WIRE						
1 000	--	Ref.: 960452	--	--	--	--
ANNEALED LOOP TIE WIRE						
1 000	Ref.: 960457	Ref.: 960449	Ref.: 961480	Ref.: 960458	Ref.: 963453	Ref.: 962449
2 500	--	Ref.: 961449	Ref.: 961459	Ref.: 962458	--	--
5 000	--	Ref.: 960453	Ref.: 960459	--	--	--



Ref.: 096055

CONCRETE SPREADER

Ultra resistant.

Allows to spread concrete easily thanks to its 500 mm width blade.

Lifting hook (ø 10 mm) for rebar.

29 mm conical shell for standard wooden handle.



Ref.: 290355 **NEW**

180 CM PEFC WOOD HANDLE

ø 28,5 mm

For concrete spreader





Ref.: 266355

FLOORING TROWEL**500 mm**


Ideal for levelling and smoothing screeds.

Steel blade 1,2 mm thick, wear-resistant.


Polyamide frame reinforced with glass fiber = light and resistant.

Ergonomic bi-material handle.

Ref.: 090155

150 mm

Ref.: 090055

300 mm**HEAVY DUTY SCRAPER****Hardened steel with riveted standard socket.**

36 mm conical shell to connect to wooden handle.

Excellent rigidity.

Examples of application:

- To clean construction sites.
- To remove easily concrete dust, snow or ice.
- To remove carpet, linoleum, flooring underlay, adhesive remnants.

Ref.: 095055

500 mm

Ref.: 290255

110 CM PEFC WOOD HANDLE**Ø 32 mm****For heavy duty scrapers**



Ref.: 092855

Medium grit 24

Ref.: 092755

Fine grit 36

ABRASIVE DISC

125 mm

Tungsten carbide universal abrasive disc.

Heavy duty. Lasts up to 160 times longer than traditional abrasives.

Polishing, deburring, surface finishing.

For all types of materials, such as : steel, wood, cement, concrete, plaster, PVC, mild stone and rust.

TILE LIFTER

Quick adjustment system.

Ideal to easily carry tiles.

Centered handle whatever the width of tile to carry.

Available in 2 dimensions:

Ref.: 269055

Adjustable from 280 to 665 mm



35 KG*
MAXIMUM CARRIED LOAD

Ref.: 369055

Adjustable from 280 to 800 mm



50 KG*
MAXIMUM CARRIED LOAD



* Test performed by  on a 40 cm x 40 cm tile.





LANDSCAPER








**150 x 45
x 25 mm**



**90 x 45
x 15 mm**



**80 x 30
x 10 mm**



**80 x 40
x 8 mm**

The split design
allows the wedge
to be positioned
over a screw
without falling to
the ground.

WEDGE

To level floorings or wooden decks.
Fast and efficient level set up.
Made of polyethylene.



BY COLOR	YELLOW	BROWN	GREEN	ORANGE	ASSORTMENT
In carton box / 100 pcs (Ref.)	--	188555	--	--	--
In storage box / 245 pcs (Ref.)	--	--	--	--	188455 60 orange / 70 green / 75 brown / 40 yellow
In bag (Ref. / Qty)	189355 x 6 pcs	189255 x 16 pcs	189055 x 30 pcs	189155 x 30 pcs	--



1 mm

2 mm

3 mm

4 mm

5 mm

FLAT SHIM

Dimensions: 100 x 24 mm


To level tiles floors, parquet, laminate flooring, panellings, wooden decks, stone decks, masonry works...

Fast and efficient level set up.

Made of polyethylene.



BY COLOR	BLUE	BLACK	RED	WHITE	YELLOW	ASSORTMENT
In carton box / 1000 pcs (Ref.)	186155	186255	186355	186455	186555	186055 200 shims of each thickness
In storage box / 400 pcs (Ref.)	--	--	--	--	--	188955 80 shims of each thickness
In bag / 50 pcs (Ref.)	--	--	--	--	--	188155 10 shims of each thickness



HANGER SHIM

Dimensions: 33 x 40 mm


For windows and doors installation.

Fast and efficient level set up.

Made of polyethylene.



BY COLOR	BLUE	BLACK	RED	WHITE	YELLOW	ASSORTMENT
In carton box / 1000 pcs (Ref.)	185155	185255	185355	185455	185555	185055 200 shims of each thickness
In storage box / 500 pcs (Ref.)	--	--	--	--	--	188255 100 shims of each thickness
In bag / 50 pcs (Ref.)	--	--	--	--	--	188355 10 shims of each thickness



Ref.: 088255

DUPLIC FORM

CONTOUR GAUGE

250 mm

To match contours to be cut.

For plumbing pipes as well as mouldings and so on.

Width : 250 mm.

Depth : 45 mm.



PROTECTION PAD

x 24 pcs

To isolate the joist from the ground.

Protects against moisture.

Reduces noise transfer from trafficking.

Stable and resistant.

Must be used on compact and level floor.

Available in 2 dimensions:

Ref.: 187055

100 x 100 x 10 mm

Ref.: 187155

78 x 78 x 8 mm



Ref.: 085855

NEW

SELF-ADHESIVE WATERPROOFING STRIP

20 m x 80 mm

Thickness: 1.4 mm.

EPDM cellular foam.

Protects the joists against water stagnation.

Self-adhesive = easy to install.

U.V. resistant.



Ref.: 085355

PROTECTIVE STRIP

16 m x 80 mm

Thickness : 2,4 mm.

Protection against surface water.

Sound insulation.

Flexible waterproofing membrane made of a polyester reinforcement coated with elastomer bitumen.

Durability : + 30 years.

Fastening by staples or nails.



Ref.: 031855

PUNCHER

HAMMER TACKER

Recommended for fixing heavy sheets, insulation sheets on roof and protective strips for wooden joists.

Solidary magazine with quick and easy staple loading.

Magazine capacity : approx. 175 staples.

Large striking range.

Very good balance.

Ultra-comfortable bi-material handle.



STAPLE




Galvanised staples.

Width: 10.6 mm.

Thickness: 1.2 mm.



HEIGHT

	8 MM	10 MM	12 MM	14 MM
1000 pcs (Ref.)	232055 	232155 	232255 	231955
5000 pcs (Ref.)	---	031955	---	---



Ref.: 086555 **PRESS DECK®**

DECKING LATH STRAIGHTENER

Can be used with dense wood.

Decking straightener for all types of woods (even IPE, amongst the most dense woods in the world).

For decking planks between 90 and 180 mm width.


Also for vertical use.

Over 200 kg strength.

Straighten up to the last plank along a wall.

Pads to avoid damaging the decking.

Carrying case included.



GAP SPACER

With handle for easy removal.

BY COLOR	BLUE	RED	YELLOW	ASSORTMENT
In storage box / 24 pcs (Ref.)	--	--	--	085755 8 spacers of each thickness
In bag / 10 pcs (Ref.)	085455	085555	085655	--

Ref.: 074555

PLURICOUP' ERGO

MULTI PURPOSE PLIERS WITH ANGLED BLADES

Light and handy.

42 mm stainless steel polished serrated blades.

Ergonomic handles and easy-to-close latch.

Angled blades for an optimum comfort while cutting.



Ref.: 042455

PIC 7

MULTI-PURPOSE FARMING TOOL

Made of chromium-vanadium steel (CrV).

44-50 HRC.

Various applications : hammer, wire tensioner, staple remover, 2 wire cutters, splicer.

Handles with anti-slip PVC dipping.



CUTTING NIPPERS

Forged tool made of chromium-vanadium (CrV).

55-61 HRC jaws.

42-48 HRC arms.


Induction hardened jaws for greater performance.

Handles with anti-slip PVC dipping.



Ref.: 040455
220 mm

Ref.: 044855
250 mm



Ref.: 041855

WIRE NET FENCING PACK

Content:

- 1 hog ring pliers TOP GRAFER 20/22 (ref. 041155).
- 1000 OMEGA 20 green PVC coated hog rings (ref. 043001).
- 1 cutting nippers 220 mm (ref. 040455).

For fast and easy installation of chain link fences.



Ref.: 042855

MASTER GRAFER

HOG RING PLIERS FOR ROUND POSTS

Extra strong 6 mm thick stainless steel jaws.

Very easy to handle thanks to its sprung handles.

Jaw is specially designed to perfectly fix the welded mesh to the round metal post.

Compatible with CL 29 staples.



Ref.: 043855

UNI-CLIP BECA

HOG RING PLIERS FOR «BECA» TYPE ROUND POSTS

Strong jaws.

Very easy to handle thanks to its sprung handles.

Compatible with CL 35 and CL 40 staples.

CL 35 staples Ø 3.5 mm to be used on round posts («BECA» type). CL 40 staples Ø 4 mm to be used on decorative Gabion baskets.





Ref.: 041255

BABY GRAFER 16/20

HAND HOG RING PLIERS

With built-in wire cutter up to 3 mm thickness.

Stop guide for a stronger hold on the hog ring.

Compatible with : OMEGA 16, 18, 20 and DELTA 18, 22.



Ref.: 040655

BABY GRAFER 30

HAND HOG RING PLIERS

Stop guide for a stronger hold on the hog ring.

Compatible with : OMEGA 16, 18, 20 and DELTA 18, 22, 30.



Ref.: 049255

HANDLE COILED SPRING

55 mm x 2 pcs.



HAND HOG RING PLIERS WITH MAGAZINE

Light and handy tool.

50 staple magazine made of treated steel.

Fast removal of magazine (less storage space).



Ref.: 040155

TOP GRAFER 16

Compatible with
OMEGA 16.



Ref.: 040355

TOP GRAFER 18

Compatible with
OMEGA 18.

Ref.: 041155 **TOP GRAFER 20/22**

2 built-in wire cutters up to 3 mm thickness.


Compatible with DELTA 22 and OMEGA 20.



Ref.: 040555

TOP GRAFER 30

**Compatible with
DELTA 30.**



Ref.: 049255
HANDLE COILED SPRING
55 mm x 2 pcs.

HAND HOG RING PLIERS WITH MAGAZINE

Perpendicular fastening.

For wire mesh and rope netting.
50 staple magazine.



Ref.: 040055

JUNIOR

Compatible with
OMEGA 16.

Max. fastening Ø:

2.1 + 2.2 mm (wire netting + tension wire).



Ref.: 049055

SPARE HANDLE
SPRING



Ref.: 041055

MAJOR

Compatible with
OMEGA 20.


Max. fastening Ø:

3.9 + 3.6 mm (wire netting + tension wire).



Ref.: 149155

SPARE HANDLE
SPRING





Ref.: 041455

POWER GRAFER

ADAPTABLE HOG RING PLIERS ON POWER DRILL

Fits all types of power drills (from 14.4 V).

High speed execution = time-saving.

50 staple magazine.

Magazine positioning for left and right-handed person.

Compatible with OMEGA 20 and DELTA 22 staples.




Ref.: 048455

FENCING TENSION CLAWS

Set of 2 universal chain link fencing tensioners for T-section or round posts.

For a perfect and easy installation by one person.

Holds the netting in position while stapling it.



**OMEGA 16 STAPLE**

Wire Ø: 1,3 mm.

250 PCS

1 250 PCS

2 500 PCS

**GALVANIZED A**Wire resistance: 600 - 800 N/mm².

Ref. 041501

Ref. 041901

Ref. 041601

**GALVANIZED GREEN PVC COATED**Wire resistance: 900 - 1100 N/mm².
RAL 6005.

Ref. 044501

Ref. 044201

Ref. 044001

**GALVANIZED DARK GREY PVC COATED**Wire resistance: 900 - 1100 N/mm².
RAL 7016.

Ref. 040801

Ref. 040901

--

**AISI 316 STAINLESS STEEL**Wire resistance: 600 - 750 N/mm².

--

Ref. 044300

--

Compatible pliers:

Ref: 041255

BABY GRAFER 16/20

Ref: 040655

BABY GRAFER 30

Ref: 040155

TOP GRAFER 16

Ref: 040055

JUNIOR**OMEGA 18 STAPLE**

Wire Ø: 2 mm.

1 200 PCS

3 000 PCS

**GALVANIZED A**Wire resistance: 450 - 550 N/mm².

Ref. 900470

--

**GALVANIZED GREEN PVC COATED**Wire resistance: 450 - 600 N/mm².
RAL 6005.

--

Ref. 900480

Compatible pliers:

Ref: 041255

BABY GRAFER 16/20

Ref: 040655

BABY GRAFER 30

Ref: 040355

TOP GRAFER 18**OMEGA 20 STAPLE**

Wire Ø: 2 mm.

200 PCS

1 000 PCS

**GALVANIZED A**Wire resistance: 450 - 550 N/mm².

Ref. 042501

Ref. 042001

**GALVANIZED GREEN PVC COATED**Wire resistance: 450 - 600 N/mm².
RAL 6005.

Ref. 043501

Ref. 043001

**GALVANIZED DARK GREY PVC COATED**Wire resistance: 450 - 600 N/mm².
RAL 7016.

Ref. 042601

Ref. 043201

**GALVANIZED BLACK PVC COATED**Wire resistance: 450 - 600 N/mm².
RAL 9005.

--

Ref. 047201

**GALVANIZED WHITE PVC COATED**Wire resistance: 450 - 600 N/mm².
RAL 9003.

Ref. 042900

--

**ALUMINIUM**Wire resistance: 270 N/mm².

--

Ref. 042101

**AISI 316 STAINLESS STEEL**Wire resistance: 550 - 650 N/mm².

--

Ref. 042301

Compatible pliers:

Ref: 041255

BABY GRAFER 16/20

Ref: 040655

BABY GRAFER 30

Ref: 041155

TOP GRAFER 20/22

Ref: 041055

MAJOR

Ref: 041455

POWER GRAFER



DELTA 18 STAPLE

Wire Ø: 1,6 mm.

3 360 PCS



COOPER

Wire resistance: 850 - 950 N/mm².

Ref. 900466



DELTA 22 STAPLE

Wire Ø: 2 mm.

1 000 PCS



GALVANIZED A

Wire resistance: 450 - 550 N/mm².

Ref. 900460



AISI 316 STAINLESS STEEL

Wire resistance: 550 - 650 N/mm².

Ref. 900461



GALVANIZED GREEN PVC COATED

Wire resistance: 450 - 600 N/mm².
RAL 6005.

Ref. 900463



DELTA 30 STAPLE

Wire Ø: 2 mm.

500 PCS

2 500 PCS



GALVANIZED A

Wire resistance: 450 - 550 N/mm².

Ref. 047101

Ref. 046500



CL 29 STAPLE

Wire Ø: 2,9 mm.

In bulk.

100 PCS

500 PCS

1 000 PCS



AISI 304 STAINLESS STEEL

Wire resistance: 650 - 800 N/mm².

Ref. 046801

Ref. 146800

Ref. 047300



GALVANIZED A

Wire resistance: 450 - 550 N/mm².

Ref. 046901

--

Ref. 047400



CL 35 STAPLE

Wire Ø: 3,5 mm.

In bulk.

500 PCS



AISI 304 STAINLESS STEEL

Wire resistance: 719 N/mm².

Ref. 043700



CL 40 STAPLE

Wire Ø: 4 mm.

In bulk.

Special for gabion

1 000 PCS



ALUZINC

Wire resistance: 450 - 600 N/mm².
Special Gabion cages for decoration.

Ref. 140001

Compatible pliers:

Ref.: 041255

BABY GRAFER 16/20

Ref.: 040655

BABY GRAFER 30

Compatible pliers:

Ref.: 041255

BABY GRAFER 16/20

Ref.: 040655

BABY GRAFER 30

Ref.: 041155

BABY GRAFER 20/22

Ref.: 041455

POWER GRAFER

Compatible pliers:

Ref.: 040655

BABY GRAFER 30

Ref.: 040555

TOP GRAFER 30

Compatible pliers:

Ref.: 042855

MASTER GRAFER

Compatible pliers:

Ref.: 043855

UNI-CLIP BECA

Compatible pliers:

Ref.: 043855

UNI-CLIP BECA



Ref.: 045555

TORNADO

AUTOMATIC BINDER FOR METAL LOOP TIE WIRE

Ideal for rebar fastening or fencing applications.
Soft hand grip.

LOOP TIE WIRE

Allows to fasten elements together.
To use with an automatic binder.
For different kinds of fastening : rebar, fencing, gravel bags.
Approximative quantity per coil.



Ref.: 960452

Galvanized
Ø 1 mm x 120 mm

x 1000 pcs.



Ref.: 960491

Green plastified coated
Ø 1,4 mm x 200 mm

x 1000 pcs.

Ref.: 040755

DRESS FIL

WIRE TENSIONER

For netting and welded nets

Guarantee of a perfect installation by ensuring rigidity on the fence.
Effective stiffening by successive pinching of the horizontal wires.
Creates uniform fencing.



Ref.: 047755

HAND STAPLER

For concertina ring installation

Pliers to fix concertina razor wire and barbed wire.
One hand operation.
For galvanised (ref. 046601) concertina rings.



**RING FOR
CONCERTINA**

1 000 PCS

GALVANIZED

In bulk.
Galvanized treatment.

Ref. 046601




Ref.: 049855 **TURBO 24**

**PNEUMATIC GUN
FOR CL 24 STAPLE
INSTALLATION**

5-8 bar working pressure.
Magazine capacity : around 100 CL 24 staples.

Applications :

- Swimming pool formwork.
- Industrial fastening.



CL 24 STAPLE

Wire Ø: 1,8 mm.

10 000 PCS

GALVANIZED

Wire resistance: 650 - 750 N/mm².
Galvanized treatment.

Ref. 190000





Ref.: 049555 **TURBO 50 PREMIUM**
PNEUMATIC GUN
For CL 50 gabion staple installation

Special for gabion installations.

5-7 bar working pressure.

Magazine capacity: 120 CL 50 (45 x 24 x 3 mm) staples.

Fastening speed : 40 staples per minute.

Quick loading system for staples.

Applications: erosion protection, retaining walls, soil reinforcement, road construction, coastal protection, civil engineering, etc...

Comes in heavy duty, ergonomic plastic case.

Ultra-rugged machine for an intensive use.

Magazine protector included.



Ref.: 249818
UPPER JAW



Ref.: 249826
LOWER JAW



Ref.: 046455

HAND STAPLER WITH MAGAZINE

For CL 50 gabion staple installation

Quick to use.

Easy loading of the staples.

Magazine capacity: +/- 50 CL 50 (45 x 24 x 3 mm) staples.

Locking security.

Applications: erosion protection, retaining walls, soil reinforcement, road construction, coastal protection, civil engineering, etc...



CL 50 STAPLE

Wire Ø: 3 mm. *Special for gabion*

1 600 PCS

ALUZINC HIGH TENSILE

Wire resistance: 1750 - 1950 N/mm².

Made of 95% zinc + 5% aluminium.

Ref. 150000

AISI 304 STAINLESS STEEL

Wire resistance: 1500 - 1700 N/mm²

AISI 304 stainless steel.

Ref. 160000





Program listed A1-AB-E4
(Registration #12270)



Ref.: 260655 **NEW**

HAND AND SURFACE CLEANING WIPE x 90 pcs

No rinsing, drying or residue.

Safe for the epidermis, the wipe has a strong cleaning and detergent power.

Effective on hands as well as on smooth, non-porous surfaces such as worktops, tools, machines, computers, copiers/fax, whiteboards, car interiors, wheel rims.

Removes ordinary dirt as well as hard greases, fresh paints, adhesives, oils, lubricants, sludge, inks, waxes, bitumen, tar and other stubborn stains such as coal, graphite and grass marks.

Composition: vegetable solvents combined with an abrasive towel, which does not scratch.

Classified in cosmetic products.

ALPHABETIC INDEX

A	
ABRASIVE BLOCK - 150 x 50 x 25 mm	82
ABRASIVE DISC - 125 MM - Medium grit 24 / Fine grit 36	167
Abrasive hand sander - EASY LOCK SANDER	55
Abrasive hand sander adaptable to a telescopic pole EASY LOCK TELESCOPIC SANDER	55
ABRASIVE MESH SANDING SHEET - 290 x 100 mm Grit 120 - x 10 pcs / Grit 240 - x 10 pcs / Grit 80 - x 10 pcs	55
ABRASIVE SANDER SPECIAL FOR E.T.I.C.S. - 380 x 160 mm	116
ACCESS PANEL TO BE TILED - 30 x 30 cm / 40 x 40 cm	85
Adaptable fiber cement shear on power drill TURBOSHEAR FIBER CEMENT	154
Adaptable hog ring pliers on power drill - POWER GRAFER	183
Adaptable nibbler shears on power drill NIBBLEX® UNIVERSAL	135
Adaptable shear on power drill - TURBOSHEAR	135
ADJUSTABLE ANGLE SQUARE	33
ADJUSTABLE ROLLING SUPPORT	83
ALPHACUT - Guillotine to cut fiber cement siding	153
ALU LINE - 30 m aluminium line	19, 161
Aluminium line 30 m - ALU LINE	19, 161
AMMONIA STONE - For roofer's holder	146
ANGULAR ABRASIVE SPONGE - Grit 60	55
ANGULAR TINMAN'S Mallet	145
ANNEALED LOOP TIE WIRE Ø 1,1 x 100 mm - x 1000 pcs	165
ANNEALED LOOP TIE WIRE Ø 1,1 x 120 mm - x 1000 pcs / x 2500 pcs / x 5000 pcs	165
ANNEALED LOOP TIE WIRE Ø 1,1 x 140 mm - x 1000 pcs / x 2500 pcs / x 5000 pcs	165
ANNEALED LOOP TIE WIRE Ø 1,1 x 160 mm - x 1000 pcs / x 2500 pcs	165
ANNEALED LOOP TIE WIRE Ø 1,1 x 180 mm - x 1000 pcs	165
ANNEALED LOOP TIE WIRE Ø 1,1 x 200 mm - x 1000 pcs	165
APOLLO - Forged aviation snip - Left cut / Right cut	16, 131
Automatic binder for metal loop tie wire - TORNADO	164, 186
Automatic section setting pliers for all types of studs and tracks, fits on drills - POWER PROFIL	25
B	
BABY GRAFER 16/20 - Hand hog ring pliers	179
BABY GRAFER 30 - Hand hog ring pliers	179
BABY-FIX® BRICO - Expansion tool for all metal anchors	58
BABY-FIX® JUNIOR - Expansion tool for all metal anchors	58
BAG OF 25 BRUSHES - For roofer's holder	146
BALL BEARING CUTTING WHEEL - Ø 22 x Ø 6 x 2 mm For EDMATILE and EDMATILE XXL	77
BATTEN GAUGE - For wooden batten positioning	124
BATTEN REMOVER - LIT'UP	121
BATTERY CHARGER FOR HOT WIRE CUTTING TABLES/BOWS AND CORDLESS HOT KNIFE	110, 111, 113, 114, 158, 159
BATTERY CHARGER FOR INSULACUT	109, 112
BATTERY PACK FOR HOT WIRE CUTTING TABLES AND BOW	110, 111, 113, 158
BENDING STICK	144
BEVEL	129
BLADE FOR INSULACUT - 300 mm	109
BLADE FOR MAT 2 AND MAT COUP 2 - 55 mm	127
BLADE FOR MAT AND MAT COUP - 35 mm	127
BLADE FOR NIBBLER SHEARS NRI	134
BLADE FOR SUPERCUP	134
BLADE FOR SUPERCUP NR3	134

BLADE SET FOR CANALCUT - 40, 60, 80, and 100 mm	26, 116
BLIND HOLE CUTTER FOR HOT KNIFE - Ø 70 mm	115
BLOC PARKET Tapping block for hardwood and laminate flooring	101
BLOCPLAC - Board holder	28
Board holder - BLOCPLAC	28
Board lever with steel stirrup - FOOTPLAC	28, 103
Boards carrier with claws - DUOPLAC	28, 103
BOSSING STICK	144
BRACKET	129
BRAIDED SPARE ROPE FOR ROOF LINE - Ø 1.5 mm	123
BRAIDED SPARE ROPE FOR MAX LINE - Ø 2.5 mm	19, 123, 161
BRAIDED SPARE ROPE FOR FAST LINE & ALU LINE - Ø 1 mm	19, 161
BRASS PRESSURE ROLLER - 6 mm width	151
Breathable and recyclable protective cover - COVERUP	39
BUCKET SCOOP KNIFE	43, 68
C	
CAMELEON 130 - MITRE GUILLOTINE	102
CANALCUT - Precision insulation cutter	26, 116
CARPENTER PENCIL - x 12 pcs	123
CARRYING CASE SIZE L, M, XL	77
CARTON OF 20 WIRE COILS FOR EDMATYER	163
Chamfering plane for plasterboard	33
CL 24 STAPLE - Galvanized - x 10000 pcs	164, 187
CL 29 STAPLE - AISI 304 stainless steel x 100 pcs / x 500 pcs / x 1000 pcs	185
CL 29 STAPLE - Galvanized A - x 100 pcs / x 1000 pcs	185
CL 35 STAPLE - AISI 304 stainless steel - x 500 pcs	185
CL 40 STAPLE - ALUZINC - X 1000 PCS	185
CL 50 STAPLE - AISI 304 stainless steel - x 1600 pcs	189
CL 50 STAPLE - Aluzinc high tensile - x 1600 pcs	189
CLEANING BRUSH + SQUEEGEE - 42 cm	93
CLEANING FLOAT - Self-gripping	92
CLIN FIX® - Overlapping cladding installation accessories	152
CLINCHING PLIERS - Bent of 45° - 22 mm / 60 mm / 80 mm	140
CLINCHING PLIERS - Bent of 90° - 60 mm	141
CLINCHING PLIERS - Straight 22 mm / 60 mm / 80 mm / 100 mm	140
CLINCHING PLIERS FOR ZINC OR ENAMEL-PLATED ALUMINIUM GUTTERS - INTERCLIPS ZINC	147
COMPASS - 250 mm	129
COMPLETE CUTTING TROLLEY - FOR EDMATILE	77
COMPLETE SET FOR INSTALLING LAMINATE FLOORING SET TAK-TIK	100
CONCRETE SPREADER - Ultra resistant	165
CONTOUR GAUGE (250 MM) - DUPLIC FORM	79, 100
CONTRACTOR RIG	15, 120
CORDLESS HOT WIRE CUTTING BOW - For styrofoam	114, 159
CORE DRILL (units) - Ø 6 / 8 / 10 / 35 / 45 / 68 / 100 / 120 mm	80
CORE DRILL BOX - Ø 6, 8, 10, 12, 28, 35, 40, 45, 65, 68 mm	81
CORNER COATING KNIFE	49, 67
CORNER FIX - Hand tool for fixing corner beads	38
COVERABSORB 10 - 10 m protection and packing cover	39
COVERABSORB 25 - 25 m protection and packing cover	39
COVERPROTECT - Non-slip and reusable protective cover	39
COVERSMART 120 Expandable and adjustable self-adhesive protective film	39, 106
COVERSMART 160 Expandable and adjustable self-adhesive protective film	39, 106
COVERUP - Breathable and recyclable protective cover	39

CROCOPLAC II - Jab saw with teeth on both sides 150 mm / 250 mm	32	EDMACLEAN - 24 l tile joint kit + accessories	90
CUTTED SPONGE FLOAT - 280 x 140 mm	92	EDMAFOAM Hot knife with air-cooling system - Hot-knife + 3 blades set	115
CUTTING GUIDE FOR HOT KNIFE - 210 mm	115	EDMAGNETIK Magnetic system for making inspection hatches	85
CUTTING NIPPERS - 220 / 250 mm	176	EDMALEVEL - Tile spacers for self-levelling system 1 mm x 500 pcs / 1.5 mm x 250 pcs / 1.5 mm x 500 pcs / 2 mm x 500 pcs /	89
CUTTING SYSTEM FOR LARGE TILES - EDMATILE XXL	77	EDMALEVEL - Self levelling system - Adjusting pliers	89
CUTTING TOOL FOR PVC, IRL, ICTA AND PER TUBES TRIOCOUP'	154	EDMALEVEL - Self levelling system - Tile spacer 2 mm x 500 pcs / 3 mm x 500 pcs	89
CUTTING UNIT FOR SUPERCOP	134	EDMALEVEL - Self levelling system - Tile wedge - x 250 pcs	89
D		EDMALEVEL - Self levelling system - Starting kit 100 pcs - 1.5 mm x 2 mm	88
DEAD BLOW SOFT FACED HAMMER	145	EDMALEVEL XL - Tiles spacers for self-levelling system 1.5 mm x 250 pcs / 2 mm x 250 pcs	89
DECHAUSS' TOUT - Telescopic wooden batten remover	121	EDMALIGHT - Cordless LED surface inspection light	56 - 57, 64 - 65
Decking lath straightener - PRESS DECK®	175	EDMALIGHT COMPATIBLE TRIPOD	57, 65
DECLIMETER	124	EDMAPLAC 450 - Rack and pinion panel lifter	36 - 37
DELTA 18 STAPLE - Cooper - x 3360 pcs	185	EDMAPLAC CABLE - Winch panel lifter	35
DELTA 22 STAPLE - AISI 316 stainless steel - x 1000 pcs	185	EDMAPLIC - Joint tape dispenser with corner roller	44 - 45
DELTA 22 STAPLE - Galvanized A - x 1000 pcs	185	EDMATILE - Monorail tile cutter 600 mm / 925 mm / 1350 mm / in carrying case	76
DELTA 22 STAPLE - Galvanized green PVC coated - x 1000 pcs	185	EDMATILE XXL - Cutting system for large tiles	77
DELTA 30 STAPLE - Galvanized A - 500 pcs / x 2500 pcs	185	EDMATYER - 24 mm cordless rebar tyer	162
DISK ROLLER WITH RETRACTABLE STOPPER Tool to make bends from 90° to 180° maximum	139	EDMATYER XL - 40 mm cordless rebar tyer	162
DOUBLE BATTERY CHARGER FOR EDMATYER	163	ERGONOMIC JOINT KNIFE - 25 cm / 35 cm / 60 cm	54
DOUBLE BENDER - 4 Rolls / 8 Rolls Tool to make folds, counterfolds, raised areas on sheets	137	ERGONOMIC PRESSURE ROLLER - 45 mm width	151
DOUBLE DISK ROLLER Tool to make bends from 90° to 180° maximum	139	ERGOTOP® Section setting pliers for all types of studs and tracks	22
DOUBLE SEAMING IRON	146	Expandable and adjustable self-adhesive protective film 120 cm / 160 cm - COVERSMART	39? 106
DOUBLE SUCTION CUP	84	Expansion gun for all metal anchors SUPER-FIX® / SUPRA-FIX® / ULTRA-FIX®	59 - 60
DRESS FIL - Wire tensioner for netting and welded nets	186	Expansion tool for all metal anchors BABY-FIX® BRICO / BABY-FIX® / JUNIOR / FIX	58 - 59
DRILL BIT (units) - Ø 6 / 8 / 10 / 35 / 43 / 68 / 100 / 120 mm	80	F	
DRILL BITS BOX - Ø 6, 8, 10, 12, 28, 35, 43, 68 mm	81	F530 ADAPTOR	17, 18
DRILL GUIDE FOR DRILL BITS - Ø 6 to 84 mm	81	FAST LINE - 30 m fast rewinding line	19, 161
DRYWALL BENCH	40	Fast rewinding line 30 m - FAST LINE	19, 161
DRYWALL SCORING SQUARE	29	FENCING TENSION CLAWS	183
DRYWALL STRIPPER - PLAC & ROLL	32	FIGURE HOLE FORGED SHEARS - 250 mm - Left cut / Right cut	133
DRYWALL TAPE HOLDER	43	FIX- Expansion tool for all metal anchors	59
DRYWALL UTILITY KNIFE - With 25 mm snap-off blades	30	FLAT RASP FOR EASY RAP / VARIO RAP	29
DRYWALLER STILTS	40	FLAT SHIM - 100 x 24 mm - Assortment x 50 pcs / x 400 pcs / x 1000 pcs	171
DUAL-SYSTEM KNIFE	31	FLAT SHIM - 100 x 24 - x 1000 pcs 1 mm / 3 mm / 4 mm / 5 mm	171
DUO PROFIL - Section setting pliers for back-to-back studs	24	FLEXIBLE BLADE FLEXIBLE JOINT KNIFE - 15 cm (6")	46, 69
DUOPLAC - Boards carrier with claws	28, 103	FLEXIBLE BLADE JOINT KNIFE 2,5 / 4 / 6 / 8 / 10 / 12 / 15 / 18 / 20 / 22 / 24 cm	47
DUOTOP Guillotine for 48 mm metal studs and tracks, M6 threaded rod	18	FLEXIBLE BLADE PREMIUM JOINT KNIFE 4 / 6 / 8 / 10 / 12 / 20 / 25 cm	46, 69
DUPLIC FORM - 250 mm contour gauge	79, 100, 173	FLEXIBLE MIXING BUCKET - 40 l	82
E		FLOOR SQUEEGEE - 55 cm / 75 cm	93
EASY LOCK SANDER - Abrasive hand sander	55	FLOORING TROWEL - 500 mm	166
EASY LOCK TELESCOPIC SANDER - Abrasive hand sander adaptable to a telescopic pole	55	FLYER'S - Forged aviation snip	16, 130
EASY RAP - Mini plane for plasterboard	29	FLYER'SL 75 - Forged aviation snip - 75 mm long blades	130
EAVES CLOSING JAWS	143	FOLDABLE HOT WIRE CUTTING TABLE For styrofoam panel, especially for E.T.I.C.S. applications	110
EAVES EDGER 105 TK	143	FOLDABLE KNIFE	30
EDGE ROLLER - 25 mm Tool to make bends from 90° to 180° maximum	138	FOLDABLE KNIFE WITH HOLSTER	31
EDMABLADE - Flexible smoothing blade 15 cm / 25 cm / 35 cm / 45 cm / 60 cm / 80 cm / 100 cm	52	FOLDING TOOL - "Squeezing folding plier"	146
EDMABLADE - Flexible smoothing blade - 60 cm	117	FOOT SWITCH FOR HOT WIRE CUTTING TABLES	110, 111
EDMABLADE HANDLE	53, 71		
EDMABLADE - Stiff smoothing blade 15 cm / 25 cm / 35 cm / 45 cm / 60 cm / 80 cm / 100 cm	52		
EDMABLADE TWIST - Flexible swivel smoothing blade 15 cm / 25 cm / 35 cm / 45 cm / 60 cm / 100 cm	70		
EDMABLADE TWIST - Stiff swivel smoothing blade 15 cm / 25 cm / 35 cm / 45 cm / 60 cm / 100 cm	70		
EDMABOX - Stackable storage box	14		

FOOTPLAC - Board lever with steel stirrup	28, 103	HOT WIRE CUTTING BOW - For styrofoam	114, 159
Forged aviation snip - Right cut / Left cut - APOLLO	16, 131	HOT WIRE CUTTING TABLE	111
Forged aviation snip - FLYER'S	16, 130	For styrofoam panel, especially for E.T.I.C.S. applications	
FORGED ROOFER'S HAMMER	122	INSIDE CORNER ROLLER	51
FORGED SHEARS PELICAN - 300 mm - Right cut / Left cut	132	INSIDE CORNER TROWEL	50, 117
FORGED SHEARS PELICAN / FIGURE HOLE / OFFSET		INSULACUT	109
Right cut / Left cut	133	Reciprocating electric saw for mineral insulation material	
FRENCH SLATER'S HAMMER - Right handed / Left handed	128	INSULATION CUTTER - 300 mm / 420 mm	26, 109
G		INTERCLIPS ZINC	147
GALVANIZED LOOP TIE WIRE - Ø 1 mm x 120 mm - x 1000 pcs	165, 186	Clinching pliers for zinc or enamel-plated aluminium gutters	
GAP SPACER - 3 / 5 / 7 mm x - 10 pcs	175	INTERPERFOR - Notch punching machine 3.5 x 15 mm	136
GAP SPACER - Assortment 3, 5, 7 mm - x 24 pcs	175	J	
GEL KNEE PAD	74, 96	Jab saw (150 / 250 mm) with teeth on both sides	32
GEL KNEE PAD WITH STABILIZING REINFORCEMENT	74, 96	CROCOPLAC II	
GREEN PLASTIFIED LOOP TIE WIRE		JOINT KNIFE - 10 / 12,5 / 15 cm with 4 removable bits	48
Ø 1,4 mm x 200 mm - x 1000 pcs	186	JOINT KNIFE STORAGE POUCH	15, 47
GROOVE BLADE FOR CANALCUT - 35 x 35 mm	26, 116	JOINT KNIFE WITH ROUNDED BLADE	68
GROOVE CUTTER FOR HOT KNIFE - Ø 30 mm	115	10 / 12 / 14 / 16 / 18 / 20 / 22 / 24 cm	
GROOVING HAMMER	144	Joint tape dispenser with corner roller - EDMAPLIC	44 - 45
GROOVING HAMMER DIFFERENT FACES	144	JUNIOR - Hand hog ring pliers with magazine	182
GROUT FLOAT - Hard - 250 x 100 mm / Medium - 270 x 130 mm	91	L	
GROUT SAW	93	Laminate and vinyl flooring guillotine - STRATICUT® 230 LVT	98
GROUT SPREADER - 200 mm / 300 mm	91	Laminate flooring guillotine - MEGA STRATICUT® 400	99
GUILLOTINE FOR 48 MM METAL STUDS AND TRACKS, M6 THREADED ROD	18	Laminate flooring guillotine - STRATICUT® 230	99
GUILLOTINE FOR METAL PROFILES UP TO 100 MM WIDE	18	Laminate, viny and PVC flooring guillotine - LAMINOCUT®	98
GUILLOTINE FOR METAL STUDS AND TRACKS - PROFILCUT®	17	LAMINOCUT® - Laminate, vinyl and PVC flooring guillotine	98
GUILLOTINE FOR METAL STUDS AND TRACKS - STUD CUTTER	17	LARGE TRAPEZE BLADE FOR CUTTER - x 10 pcs	31, 33, 61, 79
GUILLOTINE TO CUT FIBER CEMENT SIDING		LATHE AXE	122
ALPHACUT / VARIOCUT	153	LEAD DRESSER	144
GUTTER HANGER BENDER	147	LEVEL WITH XL MAGNETIC SLOTS - 90 cm / 120 cm	20
H		Line (50 m) with large handle - MAX LINE	123, 161
HALF MOON NOTCHED TROWEL - 280 mm - 20 x 10 mm	86	Line 50 m with large handle	19
HALF ROUND KNIFE	49, 67	LIT' UP - BATTEN REMOVER	121
HAMMER TACKER - PUNCHER	124, 174	LOWER JAW FOR TURBO 50 PREMIUM	188
HAND AND SURFACE CLEANING WIPE - x 90 pcs.	190	M	
Hand hog ring pliers - BABY GRAFER 16/20 / BABY GRAFER 30	179	M6 threaded rod and 4 mm suspension wire cutter	19
Hand hog ring pliers with magazine		MINI RODCUT M6	
TOP GRAFER 16 / TOP GRAFER 18 / TOP GRAFER 20/22	180 - 182	Magnetic drywall screw retainer - THE DIMPLER®	38
TOP GRAFER 30 / JUNIOR / MAJOR		Magnetic system for making inspection hatches	
HAND STAPLER - For CONCERTINA ring installation	187	EDMAGNETIK	85
HAND STAPLER WITH MAGAZINE		MAGNETIC TAPE MEASURE - 5 m x 25 mm	15, 160
For CL 50 GABION staple installation	189	MAIN GAUGE - For EDMATILE 600 / 900 / 1350	77
Hand tool for fixing corner beads - CORNER FIX	38	MAJOR - Hand hog ring pliers with magazine	182
HANDLE COILED SPRING - For hand hog ring pliers	179, 181	MARGIN TROWEL - 80 mm	86
HANGER SHIM - 33 x 40 mm - Assortment		MARKING POWDER - 200 g / 400 g / 1000 g / 3500 g	20, 123, 160
x 50 pcs / 500 pcs / x 1000 pcs	172	MARKLESS MALLET - 250 g / 500 g	87
HANGER SHIM - 33 x 40 mm - x 1000 pcs		MASTER GRAFER - Hog ring pliers for round posts	178
1 mm / 2 mm / 3 mm / 4 mm / 5 mm	172	MASTERCUT - Pliers to cut and punch the natural slate	126
HAWK - 330 x 330 mm	48	MASTER-PROFIL®	22
Heavy duty board lifter - TRANSPLAC	27, 103	One hand section setting pliers for studs and tracks	
HEAVY DUTY SCRAPER - 150 / 300 / 500 mm	166	MAT	126
HEAVY DUTY SCRAPER - 8 cm	42, 67	The famous slate cutting and punching pliers, 35 mm blade	
Hog ring pliers for round posts - MASTER GRAFER	178	MAT 2	126
HOLDER FOR FOLDABLE HOT - Wire cutting table	110	The famous slate cutting and punching pliers, 55 mm blade	
HOLE SAW SET - Ø 60, 67, 74 mm	41	MAT COUP - Slate cutting pliers, 35 mm blade	127
HOLE SAWS SET - Ø 60, 68, 74, 80, 90, 100 mm	41	MAT COUP 2 - Slate cutting pliers, 55 mm blade	127
HORIZONTAL HOT WIRE CUTTING TABLE - For styrofoam	113, 158	MAX LINE - 50 M line with large handle	19, 123, 161
HOT BALL - Stainless steel hot ball - Ø 35 mm	41	MAXI RET® - 5 blades effortless swaging tool	148
Hot knife with air-cooling system - Hot knife + 3 blades		MEASURING TAPE - 5 m x 25 mm	15, 160
EDMAFOAM	115	MEGA STRATICUT® 400 - 400 mm laminate flooring guillotine	99
HOT KNIFE WITH AIR-COOLING SYSTEM STARTING KIT	115	MINERAL WOOL CUTTING TABLE	108
HOT WIRE CORNER CUTTER - For styrofoam	112		

Mini plane for plasterboard	29
MINI RODCUT M6 6 mm (M6) threaded rod and 4 mm suspension wire cutter	19
MINI RODCUT M8 - Ø 4, 6, 8 mm rod guillotine	155
Mini trolley for board carrying - ROLL PLAC	27
Mitre guillotine - CAMELEON 130	102
Mitre shear for variable corners and angles - MULTI-COUP®	61, 79
Mitre shears with variable angle cuts - MULTI-COUP® EXTRA	102
MIXING PADDLE - Ø 100 / 120 / 140 mm	82
MONORAIL TILE CUTTER - 600 / 900 / 1350 mm - EDMATILE	76
MOSAIC TILE CUTTING PLIERS	78
MOULDINGS AND PVC ELECTRIC BASEBOARDS CUTTING PLIERS PLURI COUP EXTRA	61
MULTI COUP BOX	61
Multi purpose farming tool	176
Multi purpose pliers with angled blades - PLURICOUP'ERGO	16, 176
MULTI PURPOSE TOOL - 8 cm	42, 67
MULTI-COUP® - Mitre shear for variable corners and angles	61, 79
MULTI-COUP® EXTRA - Mitre shears with variable angle cuts	102
N	
NAIL POUCH	120
NIBBLER HAND NOTCHER	136
Nibbler shears SUPERCUP / NIBBLE SHEARS NRI / SUPERCUP NR3	134
NIBBLER SHEARS NRI - Nibbler shears	134
NIBBLEX® UNIVERSAL Adaptable nibbler shears on power drill	135
Non-slip and reusable protective cover - COVERPROTECT	39
Notch punching machine - INTERPERFOR	136
NOTCHED SPREADER - 300 mm 4 x 4 mm / 6 x 6 mm / 8 x 8 mm / 10 x 10 mm	86
NOTCHED TROWEL - 280 mm 4 x 4 mm / 6 x 6 mm / 8 x 8 mm / 10 x 10 mm	86
NOTCHED TROWEL - 280 mm - 10 x 10 mm - 45°	86
NOTCHED WEDGE 150 x 45 x 25 mm - x 6 pcs / 80 x 30 x 10 mm - x 30 pcs 80 x 40 x 8 mm - x 30 pcs / 90 x 45 x 15 mm - x 100 pcs 90 x 45 x 15 mm - x 16 pcs	170
NOTCHED WEDGE - Assortment - x 245 pcs	170
O	
OFFSET FORGED SHEARS - 260 mm - Right cut / Left cut	133
OMEGA 16 STAPLE - AISI 316 stainless steel - x 1250 pcs	184
OMEGA 16 STAPLE - Galvanized A - 250 pcs / x 1250 pcs / 2500 pcs	184
OMEGA 16 STAPLE - Galvanized dark grey PVC coated x 250 pcs / x 1250 pcs	184
OMEGA 16 STAPLE - Galvanized green PVC coated 250 pcs / x 1250 pcs / 2500 pcs	184
OMEGA 18 STAPLE - Galvanized A - x 1200 pcs	184
OMEGA 18 STAPLE - Galvanized green PVC coated - x 3000 pcs	184
OMEGA 20 STAPLE - AISI 316 stainless steel - x 1000 pcs	184
OMEGA 20 STAPLE - Aluminium - x 1000 pcs	184
OMEGA 20 STAPLE - Galvanized A - x 200 pcs / x 1000 pcs	184
OMEGA 20 STAPLE - Galvanized black PVC coated - x 1000 pcs	184
OMEGA 20 STAPLE - Galvanized dark grey PVC coated x 200 pcs / x 1000 pcs	184
OMEGA 20 STAPLE - Galvanized green PVC coated x 200 pcs / x 1000 pcs	184
OMEGA 20 STAPLE - Galvanized white PVC coated - x 200 pcs	184
One hand section setting pliers for studs and tracks MASTER PROFIL® / ULTRA PROFIL®	22 - 23
OSCILOCUT BATTERY CHARGER	107
OUTSIDE CORNER ROLLER	51
OUTSIDE CORNER TROWEL	50, 117
Overlapping cladding installation accessories - CLIN FIX®	152

P	
PATCH'UP - 15 cm plasterboard repairer	41
PH2 DRYWALL BIT - x 6 pcs	38
PH2 DRYWALL BIT FOR THE DIMPLER®	38
PIC 7 - Multi-purpose farming tool	176
PIPE POSITIONER - Small variable angle vice	149
PLAC & ROLL - Drywall stripper	32
Plane for plasterboards & wood	29
PLASTERBOARD SAW - 550 mm	32
PLASTERING TROWEL Beveled / Curved / Flat stainless steel blade	49
PLASTIC MUD PAN - 250 mm	42
PLASTIC BOTTLE - 500 ml	149
PLURI COUP EXTRA Mouldings and PVC electric baseboards cutting pliers	61
PLURICOUP' ERGO - Multi purpose pliers with angled blades	16, 176
Pneumatic gun for CL 24 staple installation - TURBO 24	164, 187
Pneumatic gun for CL 50 GABION staple installation TURBO 50 PREMIUM	188
POLYPERFOR - Punching machine	136
POWER GRAFER - Adaptable hog ring pliers on power drill	183
POWER PROFIL - Automatic section setting pliers for all types of studs and tracks, fits on drills	25
Precision insulation cutter - CANALCUT	26, 116
PRECISION SCRAPER + 7 BLADES	66
PRESS DECK® - Decking lath straightener	175
PRESSURE ROLLER - 28 / 45 / 90 mm width	150
PRESSURE ROLLER 45° ANGLED - 45 mm width	150
PRO MAT-COUP 210 - Slate cutter	125
PROFIL - Section setting pliers for studs and tracks	21
PROFIL 2 RM - Section setting pliers for studs and tracks	21
PROFILCUT® - Guillotine for metal studs and tracks	17
PROFILCUT® MEGA Guillotine for metal profiles up to 100 mm wide	18
PROTECTION AND PACKING COVER (10 M / 25 M) COVERABSORB	39
PROTECTION PAD - x 24 pcs 78 x 78 x 8 mm / 100 x 100 x 10 mm	173
PROTECTIVE STRIP - 16 m x 80 mm	174
PULLING BAR FOR LAMINATE FLOORING INSTALLATION SUPER TAK-TIK	101
PUNCH + DIE FOR INTERPERFOR - 3,5 x 15 mm	136
PUNCH + DIE SET FOR NIBBLEX® UNIVERSAL	135
PUNCH FOR MAT, MAT 2	127
PUNCH SET FOR POLYPERFOR Ø 3,3 mm / Ø 4,1 mm / Ø 4,9 mm / Ø 6,2 mm	136
PUNCHER - Hammer tackler	124, 174
PUNCHING MACHINE - POLYPERFOR	136
Q	
QUICK SUPPORT 75-125 cm / 101-177 cm / 160-290 cm / 210-390 cm	34
R	
RACK AND PINION PANEL LIFTER - EDMAPLAC 450	36 - 37
RAP-PLAC VERSATILE - Chamfering plane for plasterboard	33
REBAR GUILLOTINE	161
Rebar tyers (cordless) 24 mm / 40 mm EDMATYER / EDMATYER XL	162
Reciprocating electric saw for mineral insulation - INSULACUT	109
RECOVERABLE TILE SPACER - x 100 pcs 1,5 mm / 2 mm / 2,5 mm	87
RECOVERABLE TILE SPACER 3 mm - x 75 pcs / 4 mm - x 50 pcs / 5 mm - x 40 pcs	87
RECTANGULAR TINMAN'S MALLET	145
REINFORCED JOINT KNIFE - 20 / 25 / 30 / 35 cm	54

REPAIR KIT FOR MAT AND MAT 2	127	Slate cutter - 600 mm - ROLL MAT	125
REPLACEABLE DIE FOR RODCUT	155	Slate cutting and punching pliers - 35 mm / 55 mm blade MAT / MAT 2	126
REPLACEABLE DIE M4, M6, M8 FOR MINI RODCUT M8	155	Slate cutting pliers - 35 mm / 55 mm blade MAT COUP / MAT COUP 2	127
REPLACEABLE JAW FOR CORNER FIX - x 2 pcs	38	SLATER'S ANVIL - 400 mm - Left handed / Right handed	128
REPLACEABLE PUNCHING BLADE FOR DUO PROFIL	24	SLATER'S HAMMER - Left handed / Right handed French / Traditional / Universal	128
REPLACEABLE PUNCHING BLADE FOR MASTER-PROFIL®	22	SNAP OFF KNIFE WITH ZINC-ALLOY BODY - 9 mm / 18 mm	30
REPLACEABLE PUNCHING BLADE FOR PROFIL	21	SNAP-OFF BLADE - 25 mm - x 10 pcs	30
REPLACEABLE PUNCHING BLADE FOR PROFIL 2 RM, ERGOTOP®, POWER PROFIL AND TWIN PROFIL®	21, 22, 24, 25	SPACER BLOCK - x 48 pcs	100
REPLACEABLE PUNCHING BLADE FOR ULTRA PROFIL®	23	SPARE BATTERY FOR EDMATYER	163
REPLACEABLE TIP FOR CORNER FIX AND SUPER TAK-TIK	38, 101	SPARE BATTERY FOR HOT WIRE CUTTING TABLES/BOWS AND CORDLESS HOT KNIFE	110, 111, 113, 114, 158, 159
REPLACEMENT BLADE AND SKID PLATE FOR TURBOSHEAR FIBER CEMENT	154	SPARE BATTERY FOR INSULACUT	109, 112
RET 3 BLADES - 3 blades swaging tool	148	SPARE BLADE FOR HOT KNIFE - 15 cm / 20 cm / 25 cm	115
RET 5 BLADES - 5 blades swaging tool	148	SPARE BLADE FOR PRECISION SCRAPER - x 6 pcs	66
RING FOR CONCERTINA - Galvanized - x 1000 pcs	187	SPARE BLADE FOR TRIANGULAR PAINTER'S SCRAPER	66
Rod guillotines - RODCUT / MINI RODCUT M8	155	SPARE BLADES KIT FOR TURBOSHEAR	135
RODCUT - Ø 6, 7, 8, 10 mm rod cutting guillotine	155	SPARE CUTTING DISC FOR ROLL MAT	125
ROLL MAT - 600 mm slate cutter	125	SPARE DIE FOR MINI RODCUT M6 AND DUOTOP	18, 19
ROLL PLAC - Mini trolley for board carrying	27	SPARE HANDLE SPRING FOR JUNIOR	182
ROLLER KNEE SUPPORT	75, 97	SPARE HANDLE SPRING FOR MAJOR	182
ROOF LINE - Special 30 m line reel for roofers	123	SPARE OSCIOLOCUT BATTERY	107
ROOF TILE LINE	149	SPARE OSCIOLOCUT WIRE	107
ROOF TILE NIBBLER	149	SPARE PAD FOR CLEANING FLOAT - 250 x 100 mm	92
ROOFER'S HAMMER	122	SPARE PUNCH FOR MASTERCUT	127
ROOFER'S ADZE	122	SPARE SPRING FOR MASTER-PROFIL® - x 5 pcs	22
ROOFER'S HOLDER - Soldering iron tip cleaning set	146	SPARE TRIANGULAR BLADE	66
ROUND NOTCHED SPREADER - 300 mm - 20 x 10 mm	86	SPARE WIRE FOR BOWS AND HORIZONTAL TABLE - 1370 mm	113, 114, 158, 159
ROUNDED RASP FOR VARIO RAP	29	SPARE WIRE FOR HOT WIRE CORNER CUTTER - 610 mm	112
RUBBER JOINT KNIFE	50	SPARE WIRE FOR HOT WIRE CUTTING TABLE - 1500 mm	111
S		SPECIAL LINE REEL (30 M) FOR ROOFERS - ROOF LINE	
SAFETY KNIFE	31	SPONGE FLOAT - 280 X 140 mm	92
SCISSORS SPECIAL FOR PLASTIC SHEETS	149	SPRING FOR MAT COUP, MAT COUP 2 & MAXI RET® 5 BLADES x 5 pcs	127, 148
SCRIBE TIP	78	SQUARE SEAM FOLDER	142
SCRIBER TOOL	129	STACKABLE STORAGE BOX - EDMABOX	14
SEAM OPENING PLIERS	142	STAINLESS STEEL BLADE FOR MULTI-COUP® EXTRA - 65 mm	61, 102
SEAMING IRON - With flat blade	146	STAINLESS STEEL BLADE FOR TRIOCOUP®	154
SEAMING PLIERS - Straight - 180 mm / 200 mm	141	Stainless steel hot ball - HOT BALL	41
Section setting pliers for all types of studs and tracks ERGOTOP®	22	STAINLESS STEEL MUD PAN - 300 mm	42
Section setting pliers for back-to-back studs DUO PROFIL / TWIN PROFIL®	24	STAPLES FOR PUNCHER - 8 mm / 10 mm / 12 mm / 14 mm	124, 174
Section setting pliers for studs and tracks PROFIL / PROFIL 2 RM	21	STEEL PRESSURE ROLLER - 40 / 60 mm width	151
SELF-ADHESIVE WATERPROOFING STRIP - 20 m x 80 mm	173	STEP DRILL - Use for precision drilling of sheet metal and plastic up to 30 mm	26
SEMI-CIRCULAR DORMER SQUARE SEAM FOLDER	142	STEPLADDER - 3 steps double sided	40
SET OF JOINT KNIVES + STORAGE POUCH	47	STIFF BLADE JOINT KNIFE - 4 / 5 / 8 / 10 cm	47
SET OF PREMIUM JOINT KNIVES + STORAGE POUCH	46, 69	STIFF BLADE PREMIUM JOINT KNIFE 4 / 5 / 8 / 10 cm	46, 69
SET TAK-TIK - Complete set for installing laminate flooring	100	STRATICUT® 230 - Laminate flooring guillotine	99
SETTING STICK	144	STRATICUT® 230 LVT - Laminate and vinyl flooring guillotine	98
SHEARS "PASSE-FRANC" - Right cut / Left cut - UPPER CUT	131	STUD CUTTER - Guillotine for metal studs and tracks	17
SINGLE BENDER 2 ROLLS Tool to make folds, counterfolds, raised areas on sheets	138	SUPER TAK-TIK - Pulling bar for laminate flooring installation	101
SINGLE BENDER 4 ROLLS - 200 mm / 300 mm Tool to make folds, counterfolds, raised areas on sheets	138	SUPERCUP - Nibbler shears with built-in waste curl cutter	134
SINGLE DISK ROLLER - Tool to make bends from 90° to 180° max.	139	SUPERCUP NR3 - Nibbler shears special corrugated iron with built-in waste curl cutter	134
SINGLE POCKET CONTRACTOR RIG	15, 120	SUPER-FIX® - Expansion gun for all metal anchors	59, 60
SINGLE SUCTION CUP	84	Surface inspection light (cordless, LED) - EDMALIGHT	56 - 57, 64 - 65
SINGLE VACCUUM SUCTION CUP	84	Swaging tools MAXI RET® (5 blades) / RET 3 BLADES / RET 5 BLADES	148
Slate cutter - PRO MAT-COUP 210	125		

T	
Tapping block for hardwood and laminate flooring	101
BLOC PARKET	
TELESCOPIC POLE - 0,50 - 0,90 m / 0,80 - 1,50 m / 1,20 - 2,40 m	53, 71
TELESCOPIC WOODEN BATTEN REMOVER - DECHAUSSTOUT	121
THE DIMPLER® - MAGNETIC DRYWALL SCREW RETAINER	38
TILE CUTTING PLIERS	78
TILE EDGER	143
Tile joint kit (24 L) + accessories - EDMACLEAN	90
TILE LIFTER - Adjustable from 280 to 665 mm	83, 152, 167
TILE LIFTER - Adjustable from 280 to 800 mm	83, 152, 167
TILE SPACER 1,5 mm - x 300 pcs / 2 mm - x 300 pcs 3 mm - x 200 pcs / 4 mm - x 200 pcs	87
TILE SPONGE - 190 x 130 x 50 mm / 200 x 100 x 60 mm	91
TILE WEDGE - 5 mm - x 500 pcs	87
TILE WEDGE - 5 mm - x 500 pcs EDMALEVEL SELF LEVELING SYSTEM	89
TOOL POUCH	15, 120
TOOL TRAY - EDMABOX compatible	14
Tools to made folds, counterfolds, raised areas on sheets DOUBLE BENDERS / SINGLE BENDERS	137 - 138
Tools to make bends from 90° to 180° EDGE ROLLER / SINGLE DISK ROLLER / DOUBLE DISK ROLLER	139
TOP GRAFER 16 - Hand hog ring pliers with magazine	180
TOP GRAFER 18 - Hand hog ring pliers with magazine	180
TOP GRAFER 20/22 - HAND HOG RING PLIERS WITH MAGAZINE	181
TOP GRAFER 30 - Hand hog ring pliers with magazine	181
TORNADO - Automatic binder for metal loop tie wire	164, 186
TRADITIONAL SLATER'S HAMMER - Right / Left handed	128
TRANSFORMER FOR FOLDABLE TABLE	110
TRANSFORMER FOR HOT WIRE CUTTING TABLES AND BOW	111, 113, 114, 158, 159
TRANSPAC - Heavy duty board lifter	27, 103
TRAPEZE CUTTER BLADE DISPENSER	31
TRIANGULAR PAINTER'S SCRAPER	66
TRIOCOUP® - Cutting tool for PVC, IRL, ICTA and PER tubes, Ø 16, 20 and 25 mm	154
TRIPLE SUCTION CUP	84
Tripod - EDMALIGHT COMPATIBLE	57, 65
TURBO 24 - Pneumatic gun for CL 24 staple installation	164, 187
TURBO 50 PREMIUM Pneumatic gun for CL 50 GABION staple installation	188
TURBOSHEAR - Adaptable shear on power drill	135
TURBOSHEAR FIBER CEMENT Adaptable fiber cement shear on power drill	154
TWIN PROFIL® - Section setting pliers for back-to-back studs	24
TWIN SQUARE SEAM FOLDER	142

U	
ULTRA PROFIL® - One hand section setting pliers for all types of studs and tracks, without any effort	23
ULTRA-FIX® - Expansion gun for all metal anchors	60
UNI-CLIP BECA - Hog ring pliers for "BECA" type round posts	178
UNIVERSAL FORGED SHEARS - 250 mm - Wide and narrow blade shears	132
UNIVERSAL SLATER'S HAMMER - Right / Left handed	128
UPPER JAW FOR TURBO 50 PREMIUM	188
UPPER-CUT - Shears "PASSE-FRANC" - Right cut / Left cut	131

V	
VARIO RAP - Plane for plasterboards & wood	29
VARIOCUT - Guillotine to cut fiber cement siding	153

VIBRATING WIRE CUTTING TABLE - For insulation materials	107
VIBRATING WIRE CUTTING TABLE IN CARRYING CASE For insulation materials	107
W	
WATERPROOF FLOOR HATCH - 60 x 60 cm	85
WATERPROOF STAINLESS STEEL FLOOR HATCH 30 x 30 cm / 40 x 40 cm	85
WELD SEAM TESTER	149
WELDED SLATE RIPPER - 400 mm / 600 mm	129
WHEEL FOR PLAC & ROLL - 2 pcs	32
WINCH PANEL LIFTER - EDMAPLAC CABLE	35
WIRE NET FENCING PACK	177
WIRE ROLL (2 m) FOR FOLDABLE TABLE	110
Wire tensioner for netting and welded nets - DRESS FIL	186
WOOD HANDLE (PEFC) 110 / 180 cm For heavy duty scrapers Ø 32 mm	166

Z	
ZINC AND LAMINATE SCRIBER	129

YOUR ORDERS

Your orders are processed in the shortest possible time by a team of multilingual collaborators.

» commercial@edma.fr



YOUR QUESTIONS

Technicians help you to use your EDMA tools as efficiently as possible and answer your different technical and after-sales questions.

» qualite@edma.fr



EDMA BY YOUR SIDE

EDMA VIDEOS

Learn how to assemble and/or use your favourite EDMA products in the EDMASCOPE videos series, available on EDMA's Youtube channel:

» https://bit.ly/EDMASCOPE_YOUTUBE



**EDMA
SCOPE**
The video channel





EDMA WEBSITE

Find out a large amount of information on EDMA's website www.edma.fr: products datasheets, pictures, videos, spare parts' lists linked to a product...

Create your myEDMA account on EDMA's website to benefit from even more content on your products.



«To be at your side» means to bring a maximum of services along your customer experience with EDMA.

Since the purchasing of your EDMA tool to its use, and then the replacement of one wearing part, some EDMA teams are present at each stage to give advice, to bring support and to answer to your questions. In brief: «to be at your side» means to do all our best so that your favourite EDMA tool be and remain, one of your most valuable companions in your daily work.



SPARE PARTS ONLINE SHOP

Give a longer life to your EDMA products by replacing some wearing parts. Find all the available EDMA spare parts and consumables and order them in a few clicks from home.



CLEARANCE ONLINE SHOP

Benefit from bargains with EDMA tools from previous generations (previous colors, logo and packagings, discontinued products...etc) at discounted prices.



Tel. : +33 (0)4 94 44 70 70
Fax. : +33 (0)4 94 44 70 71
Website : www.edma.fr
Email : contact@edma.fr

COPYRIGHTS

© All rights reserved - 2021

PHOTO CREDIT

EDMA, SHUTTERSTOCK

EDMA company, whose headquarters are located at Technoparc Epsilon I, 616 rue Isaac Newton, 83700 Saint-Raphaël, with a capital of 2 003 300 €, is registered at Registre du Commerce et des Sociétés of Fréjus, under No 480 074 327.

EDMA general catalogue presents non contractual pictures and a content subject to omissions or typographical errors.

The descriptive elements of the products such as dimensions, weight or colour are presented for information only and have no contractual value. Any difference between these descriptive statements and the delivered product cannot be the subject of claims on this sole and exclusive basis. Suggestions for presentation.

EDMA reserves the right to modify the articles presented without prior notice in order to improve their technical or aesthetic specifications.

Do not throw on the public road.

Reproduction of the present document, even partial, is prohibited.

